

## SUBJECT INDEX

- Afghan accessions**  
Almond, 207, 217  
Pomegranate, 225
- Afghanistan special issue**  
Almond, 207, 217  
Fruitculture, 197  
Germplasm, 197, 207, 217, 225, 231, 239  
Phytosanitary status, 239  
Pomegranate, 225  
Sweet cherry, 231
- Aleurodicus dispersus* Russell** see Spiralling whiteflies
- Almond**  
Afghan accessions, 207, 217  
Afghanistan special issue, 207, 217  
Breeding, 217  
Cross compatibility, 217  
Genetic resources, 207  
Germplasm, 207  
Incompatibility groups, 217  
Kernel, 207  
Phenotypic characterisation, 207  
Phytosanitary status, 239  
Pollination, 217
- Alstroemeria* spp.** see Peruvian lily
- Antioxidant activity**  
Peach, 175  
Tomato, 151
- Antioxidative**  
Bermudagrass, 141
- Apple**  
Phytosanitary status, 239
- Apricot**  
Phytosanitary status, 239
- Apricot gum**  
Carrot, 111  
Grapevine, 111  
Stevia, 111
- Arbuscular mycorrhizal fungi**  
Cotton, 121
- Ascorbate peroxidase**  
Tomato, 183
- Ascorbic acid**  
Tomato, 3
- Banana**  
Climateric fruits, 75, 159  
Ethylene production, 159  
Putrescine treatment, 159  
Quality, 159  
Ripening process, 159  
Shelf life, 159
- Barberry**  
Germination, 31  
Pollen grains  
Pollen size, 31  
Pollen viability, 31
- Berberis microphylla* G. Forst** see Barberry
- Bermudagrass**  
Antioxidative, 141  
Irrigation, 141  
Morpho-physiological alteration, 141  
Photoperiod, 141  
Turfgrass, 141
- Biocontrol**  
Potato, 47
- Biofertilizers**  
Mango, 81
- Breeding**  
Almond, 217
- Building thermal control**  
Japanese climbing fern, 59
- 'Burlat'**  
Sweet cherry, 231
- Calla lily**  
New viral evidence, 53  
RT-PCR tests, 53  
Tuscan nurseries, 53  
Viruses occurrence, 53
- Callus culture**  
Carrot, 111  
Grapevine, 111  
Stevia, 111
- Cananga odorata***  
Spiralling whiteflies, 165
- Carbon source**  
Carrot, 111  
Grapevine, 111  
Stevia, 111
- Carrot**  
Apricot gum, 111  
Callus culture, 111  
Carbon source, 111  
Organic additive, 111  
Tissue culture, 111
- Chemical composition**  
Spiralling whiteflies, 165
- Chlorophyll content**  
Kentucky bluegrass, 87  
Mexican lime, 39
- Citrus aurantifolia* L.** see Mexican lime
- Climateric fruits**  
Banana, 75, 159  
Ethylene, 75  
Gaseous phase photocatalysis, 75  
High ethylene production, 75  
Liquid-crystal template, 75  
Mixed oxides, 75  
Modified storage environment, 75  
Post-harvest, 75  
Uniform ripening, 75
- Cold stress**  
Seashore paspalum, 103
- Cold tolerance**  
Seashore paspalum, 103
- Control activities**  
Spiralling whiteflies, 165
- Cotton**  
Arbuscular mycorrhizal fungi, 121  
DNA changes, 13  
Genome template stability, 13  
Growth, 121  
Mineral nutrients, 121  
Phosphogypsum, 121  
RAPD markers, 13  
Salt stress, 13
- Cross compatibility**  
Almond, 217
- Cut flower**  
Tuberose, 69
- Cymbopogon citratus***  
Spiralling whiteflies, 165
- Cynodon dactylon* (L.) Pers.** see

- Bermudagrass
- Daucus carota* L.** see Carrot
- Decay**  
Tomato, 183
- De-pigmented cultivar**  
Peach, 175
- DNA changes**  
Cotton, 13
- Drought**  
Tomato, 3
- Drought deficit**  
Mexican lime, 39
- Endangered genotypes**  
Fig, 129
- Environmental measurements**  
Japanese climbing fern, 59
- Essential oils**  
Spiralling whiteflies, 165
- Ethylene**  
Climateric fruits, 75  
Tuberose, 69
- Ethylene production**  
Banana, 159
- Euodia hortensis***  
Spiralling whiteflies, 165
- Explant**  
Fig, 129
- Ficus carica* L.** see Fig
- Fig**  
Endangered genotypes, 129  
Explant, 129  
Micropropagation, 129  
Rooting, 129  
Shoot proliferation, 129  
Single node, 129
- Flavanone glycoside**  
Potato, 95
- Flavonoids**  
Tomato, 151
- Flower abscission**  
Tomato, 3
- Food security**  
Tomato, 23
- Fruitculture**  
Afghanistan special issue, 197  
Germplasm, 197  
Plant nursery, 197  
Traditional orchard, 197
- Fumigant toxicity**  
Spiralling whiteflies, 165
- Gaseous phase photocatalysis**  
Climateric fruits, 75
- GC-MS test**  
Spiralling whiteflies, 165
- Genetic resources**  
Almond, 207
- Genome template stability**  
Cotton, 13
- Germination**  
Barberry, 31
- Germplasm**  
Afghanistan special issue, 197, 207, 217, 225, 231, 239  
Almond, 207  
Fruitculture, 197  
Phytosanitary status, 239  
Pomegranate, 225
- 'Ghiaccio'**  
Peach, 175
- Gibberellic acid**  
Tuberose, 69
- Glomus etunicatum***  
Mexican lime, 39
- Gossypium hirsutum* L.** see Cotton
- Grapevine**  
Apricot gum, 111  
Callus culture, 111  
Carbon source, 111  
Ion fluxes, 135  
Organic additive, 111  
Phytosanitary status, 239  
Plant-virus interaction, 135  
Potassium, 135  
Tissue culture, 111  
Trans-plasma membrane, 135
- Green roof**  
Japanese climbing fern, 59
- Green wall**  
Japanese climbing fern, 59
- Greenhouse conditions**  
Tomato, 151
- Growth**  
Cotton, 121
- Growth characters**  
Mango, 81
- Harvest date**  
Sweet cherry, 231
- Heavy metals**  
Tomato, 23
- High ethylene production**  
Climateric fruits, 75
- 'Himsagar'**  
Mango, 81
- Histological analysis**  
Potato, 95
- Hydrogen peroxide treatment**  
Seashore paspalum, 103
- Hydroponic system**  
Tomato, 23
- Incompatibility groups**  
Almond, 217
- Inorganic manure**  
Mango, 81
- Ion fluxes**  
Grapevine, 135  
Tobacco, 135
- Irrigation**  
Bermudagrass, 141
- Japanese climbing fern**  
Building thermal control, 59  
Environmental measurements, 59  
Green roof, 59  
Green wall, 59  
Roof top gardner, 59  
Urban agriculture, 59
- Kentucky bluegrass**  
Chlorophyll content, 87  
Proline content, 87  
Salt stress, 87  
Silicon treatments, 87  
Turfgrass, 87
- Kernel**  
Almond, 207
- Leaf water potential**  
Mexican lime, 39
- Liquid-crystal template**  
Climateric fruits, 75

- Longevity**  
Tuberose, 69
- Lycopene**  
Tomato, 3
- Lygodium japonicum* Thunb. Sw.** see Japanese climbing fern
- Macro elements**  
Tomato, 23
- Malus domestica* Borkh.** see Apple
- Mangifera indica* L.** see Mango
- Mango**  
Biofertilizers, 81  
Growth characters, 81  
'Himsagar', 81  
Inorganic manure, 81  
Organic manure, 81  
Quality, 81  
Shelf life, 81  
Soil microbial population, 81
- Maturity index**  
Sweet cherry, 231
- Mexican lime**  
Chlorophyll content, 39  
Drought deficit, 39  
*Glomus etunicatum*, 39  
Leaf water potential, 39  
*Pseudomonas fluorescense*, 39
- Micro elements**  
Tomato, 23
- Micropropagation**  
Fig, 129
- Middle East**  
Tomato, 23
- Mineral nutrients**  
Cotton, 121
- Mixed oxides**  
Climateric fruits, 75
- Modified storage environment**  
Climateric fruits, 75
- Morphological variability**  
Pomegranate, 225
- Morpho-physiological alteration**  
Bermudagrass, 141
- Mother stock nurseries**  
Phytopathology status, 239
- Murraya koenigii***  
Spiralling whiteflies, 165
- Musa acuminata* L.** see Banana
- New viral evidence**  
Calla lily, 53  
Peruvian lily, 53
- Nicotiana tabacum* L.** see Tobacco
- Nutraceutical properties**  
Peach, 175  
Pomegranate, 225
- Ocimum tenuiflorum***  
Spiralling whiteflies, 165
- Organic additive**  
Carrot, 111  
Grapevine, 111  
Stevia, 111
- Organic manure**  
Mango, 81
- Paspalum vaginatum* Sw.** see Seashore paspalum
- Peach**  
Antioxidant activity, 175  
De-pigmented cultivar, 175  
'Ghiaccio', 175  
Nutraceutical properties, 175  
Phenolic compounds, 175  
Phytopathology status, 239  
Quality, 175  
White flesh, 175
- Pear**  
Phytopathology status, 239
- Peruvian lily**  
New viral evidence, 53  
RT-PCR tests, 53  
Tuscan nurseries, 53  
Viruses occurrence, 53
- Pesticidal activities**  
Spiralling whiteflies, 165
- Phenolic compounds**  
Peach, 175
- Phenotypic characterisation**  
Almond, 207
- Phosphogypsum**  
Cotton, 121
- Photoperiod**  
Bermudagrass, 141
- Phytochemicals**  
Peach, 175
- Phytopathology status**  
Aghanistan special issue, 239  
Almond, 239  
Apple, 239  
Apricot, 239  
Germplasm, 239  
Grapevine, 239  
Mother stock nurseries, 239  
Peach, 239  
Pear, 239  
Plum, 239  
Sweet cherry, 239  
Virus disease, 239
- Plant nursery**  
Fruitculture, 197
- Plant resistance**  
Potato, 47
- Plant-virus interaction**  
Grapevine, 135  
Tobacco, 135
- Plum**  
Phytopathology status, 239
- Poa pratensis* L.** see Kentucky bluegrass
- Polianthes tuberosa* L.** see Tuberose
- Pollen grains**  
Barberry, 31
- Pollen size**  
Barberry, 31
- Pollen viability**  
Barberry, 31
- Pollination**  
Almond, 217
- Pomegranate**  
Afghan accessions, 225  
Aghanistan special issue, 225  
Germplasm, 225  
Morphological variability, 225  
Nutraceutical properties, 225  
Relationship, 225
- Post harvest**  
Climateric fruits, 75  
Tomato, 183  
Tuberose, 69
- Potassium**  
Grapevine, 135  
Tobacco, 135

- Potato**  
 Biocontrol, 47  
 Flavanone glycoside, 95  
 Histological analysis, 95  
 Plant resistance, 47  
 Potato tuber moth, 47  
*Pseudomonas putida* BTPI, 47  
 Rhizobacteria, 47  
 Salt stress, 95  
 Trichomes, 95  
 Ultrastructural changes, 95
- Potato tuber moth**  
 Potato, 47
- Pre-harvest treatment**  
 Tomato, 183  
 Tuberose, 69
- Proline content**  
 Kentucky bluegrass, 87
- Prunus amygdalus* Batch.** see Almond
- Prunus armeniaca* L.** see Apricot
- Prunus avium* L.** see Sweet cherry
- Prunus domestica* L.** see Plum
- Prunus dulcis* Mill.** see Almond
- Prunus persica* L.** see Peach
- Pseudomonas fluorescence***  
 Mexican lime, 39
- Pseudomonas putida* BTPI**  
 Potato, 47
- Punica granatum* L.** see Pomegranate
- Putrescine treatment**  
 Banana, 159
- Pyrus* L.** see Pear
- Quality**  
 Banana, 159  
 Mango, 81  
 Peach, 175  
 Tomato, 183
- Quality control system**  
 Sweet cherry, 231
- RAPD markers**  
 Cotton, 13
- Relationship**  
 Pomegranate, 225
- Repellent test**  
 Spiralling whiteflies, 165
- Rhizobacteria**  
 Potato, 47
- Ripening process**  
 Banana, 159
- Roof top garden**  
 Japanese climbing fern, 59
- Rooting**  
 Fig, 129
- RT-PCR Tests**  
 Calla lily, 53  
 Peruvian lily, 53
- 'Salam'**  
 Seashore paspalum, 103
- Salicylic acid**  
 Tomato, 151, 183
- Salt stress**  
 Cotton, 13  
 Kentucky bluegrass, 87  
 Potato, 95
- Seashore paspalum**  
 Cold stress, 103  
 Cold tolerance, 103  
 Hydrogene peroxide treatments, 103  
 'Salam', 103  
 'Seaspray', 103
- 'Seaspray'**  
 Seashore paspalum, 103
- Shelf life**  
 Banana, 159  
 Mango, 81
- Shoot proliferation**  
 Fig, 129
- Silicon treatment**  
 Kentucky bluegrass, 87
- Single node**  
 Fig, 129
- Soil microbial population**  
 Mango, 81
- Solanum lycopersicon* L.** see Tomato
- Solanum tuberosum* L.** see Potato
- Soluble protein**  
 Tomato, 3
- Spiralling whiteflies**  
*Cananga odorata*, 165  
 Chemical composition, 165  
 Control activities, 165  
*Cymbopogon citratus*, 165  
 Essential oils, 165  
*Euodia hortensis*, 165  
 Fumigant toxicity, 165  
 GC-MS test  
*Murraya koenigii*, 165  
*Ocimum tenuiflorum*, 165  
 Pesticidal activities, 165  
 Repellent test, 165
- SPS**  
 Tomato, 3
- Stevia rebaudiana* Bert.** see Stevia
- Stevia**  
 Apricot gum, 111  
 Callus culture, 111  
 Carbon source, 111  
 Organic additive, 111  
 Tissue culture, 111
- Sustainable agriculture**  
 Tomato, 23
- Sweet cherry**  
 Afghanistan special issue, 231  
 'Burlat', 231  
 Harvest date, 231  
 Maturity index, 231  
 Phytosanitary status, 239  
 Quality control system, 231
- Tissue culture**  
 Carrot, 111  
 Grapevine, 111  
 Stevia, 111
- Tobacco**  
 Ion fluxes, 135  
 Plant-virus interaction, 135  
 Potassium, 135  
 Trans-plasma membrane, 135
- Tomato**  
 Antioxidant activity, 151  
 Ascorbate peroxidase, 183  
 Ascorbic acid, 3  
 Decay, 183  
 Drought, 3  
 Flavonoids, 151  
 Flower abscission, 3  
 Food security, 23  
 Greenhouse conditions, 151  
 Heavy metals, 23  
 Hydroponic system, 23  
 Lycopene, 3  
 Macro elements, 23  
 Micro elements, 23  
 Middle East, 23  
 Quality, 183  
 Post harvest, 183  
 Pre-harvest treatment, 183  
 Salicylic acid, 151, 183

- Soluble protein, 3
  - SPS, 3
  - Sustainable agriculture, 23
  - Total phenolics, 151
  - Weight loss, 183
  - Yield, 3
  - Yield components, 151
- Total phenolics**
- Tomato, 151
- Traditional orchard**
- Fruitculture, 197
- Trans-plasma membrane**
- Grapevine, 135
  - Tobacco, 135
- Trichomes**
- Potato, 95
- Tuberoses**
- Cut flower, 69
- Ethylene, 69
- Gibberellic acid, 69
- Longevity, 69
- Post harvest, 69
- Pre-harvest treatment, 69
- Turfgrass**
- Bermudagrass, 141
  - Kentucky bluegrass, 87
- Tuscan nurseries**
- Calla lily, 53
  - Peruvian lily, 53
- Ultrastructural changes**
- Potato, 95
- Uniform ripening**
- Climateric fruits, 75
- Urban agriculture**
- Japanese climbing fern, 59
- Virus disease**
- Phytopathology status, 239
- Viruses occurrence**
- Calla lily, 53
  - Peruvian lily, 53
- Vitis vinifera* L.** see grapevine
- Weight loss**
- Tomato, 183
- White flesh**
- Peach, 175
- Yield**
- Tomato, 3
- Yield components**
- Tomato, 151
- Zantedeschia aethiopica* L. Spreng.** see Calla Lily