

Remarks on the nomenclature of *Buchwaldoboletus lignicola* (Kallenb.) Pil.

MACIEJ Z. SZCZEPKA

Mycology Laboratory, Botanical Institute, Polish Academy of Sciences, 31-512 Cracow, Lubicz 46,
Poland

Szczepka M. Z.: *Remarks on the nomenclature of Buchwaldoboletus lignicola (Kallenb.)*
Pil. Acta Mycol. 20 (2): 225–229, 1984.

The author performed a review of the nomenclature concerning the fungus *Buchwaldoboletus lignicola* and proved that the name *Pulveroboletus lignicola* (Kallenb.) Pil. commonly encountered in the literature not a correct one. None of the uncountered names are correct.

Buchwaldoboletus lignicola (Kallenb.) Pil. is a rare species of *Boletaceae*. It occurs in Europe, South and East Asia, North America (Szczepka 1981), and North Africa (Bertault 1979). That species was included among numerous genera, i.e. *Boletus*, *Xerocomus*, *Phlebopus*, *Gyrodon*, *Pulveroboletus*, and *Buchwaldoboletus*. According to Moser (1978) and Singer (1981), the genus *Buchwaldoboletus* represented by two species, *B. lignicola* and *B. hemichrysus*, should be included in the genus *Pulveroboletus*. In such a situation it is necessary to set in order the nomenclature of *B. lignicola*, and especially to estimate the correctness of the name *Pulveroboletus lignicola* (Kallenb.) Pil. which is generally used in the literature.

Many authors, especially European ones, who wrote about that species (i.e. Singer 1967, 1975; Moser 1967, 1978; Michael, Henning 1971; Kuthan, Šedivý 1971; Doll 1975; Kreisel 1975; Nakhucrisvili 1975, 1981; Bresinsky, Haas 1976; Peger 1977; Cetto 1978; Juhász 1979; Dähncke, Dähncke 1980; Wilhelm 1980; Kriegsteiner 1981, 1982; Samgina

1981; Stojčev 1982; Hardtke, Wähner 1983) mentioned it under the name *Pulveroboletus lignicola* (Kallenb.) Pilát, which is not correct. Justification: In the year 1965, A. Pilát and E. A. Dick and W. H. Snell acting one independent of the other, placed *Boletus lignicola* Kallenb. in the genus *Pulveroboletus*. Pilát proposed another combination, which appeared on July 15 (the date is given in „Česka mykol.” No. 4/1965). Dick and Snell proposed the same combination, which appeared on June 3 (the date is given in „Mycologia” No. 4/1965). Thus, the priority belongs to Dick and Snell (1965) and the correct name is only that of *Pulveroboletus lignicola* (Kallenb.) Dick and Snell in Mycologia 57: 451. 1965.

Kuthan (1967) reported the finding of *Buchwaldoboletus lignicola* in Czechoslovakia and mentioned it under the name *Phlebopus lignicola* (Kallenb.) Singer. The name *Phlebopus lignicola* (Kallenb.) Singer is also mentioned by Michael and Hennig (1960), Schier and Pieschel (1962), and Zerova, Rozhenko and Cherep (1975). However, Singer (1947), who placed the closely related species *Boletus sulphureus* Fr. in the genus *Phlebopus* but did not make a similar combination for *Boletus lignicola* Kallenb. That combination was only proposed by Moser: Moser (1955) on page 31 gives the basonym (*Boletus lignicola* Kbh.), number of the plate (25), and on page 6 the title of Kallenbach's work. According to Intern. Code of Botanical Nomenclcl. adopted in 1975 (International Code ... 1978) a page, and a date of publication of a basonym should be quoted, too. However, the combination proposed by Moser (1955) is incompletely (There are not the page and the correct date of publication of the basonym: „Kallenbach F. 1929. Die Röhrlinge (Boletaceae). No. 15. *Boletus lignicola* sp.n. in Die Pilze Mitteleuropas I: 57”) the discussed taxon is clearly indicated.

Bertault (1979) reports on the occurrence of *Buchwaldoboletus lignicola* in Morocco and mentions it under the name *Pulveroboletus lignicola* (Kchbr.) Pilát 1965 = *Buchwaldoboletus* Pilát 1974. This is thrice erroneous because the species discussed was described by Kallenbach (1929); in the genus *Pulveroboletus* it was placed by Dick and Snell (1965); the new genus *Buchwaldoboletus* was created by Pilát in 1969.

Pilát (1965) gave information about a paper by Watling (1964) who was said to have reported that species from Great Britain under the name *Phleboporus lignicola* (Kallenb.) Moser. This name is erroneously quoted in the paper written by Pilát (1965). No such name is found with Watling (1964), who used the correct name *Phlebopus lignicola* (Kallenb.) Moser.

Reid (1966) in an annotation on page 7 submits the information about a paper written by Schwinte (1965) in which a new combination was used, i.e. *Ixocomus lignicola* (Kallenb.) Schwinte. Reid's information is erroneous

because Schwinte was not the author of that combination, and it was not he who placed *Boletus lignicola* Kallenb. in the genus *Ixocomus*. That combination was proposed by Konrad and Maublanc (1952).

Skirgiello (1975) submits information on *Buchwaldoboletus lignicola* which is mentioned by her under the name *Pulveroboletus lignicola* (Kallenb.) Moser; she also gives the name *Pulveroboletus lignicola* (Kallenb.) Pil. as a synonyme. It is true that Moser was the author of one of the combinations placing *Boletus lignicola* Kallenb. in the genus *Phlebopus* (Moser 1955), but was not the author of this combination. Skirgiello gives the name *Xerocomus lignicola* Sing. as a synonyme of *Phlebopus lignicola* (Skirgiello 1960), and as a synonyme of *Pulveroboletus lignicola* (Skirgiello 1975), too. This is erroneous because the correct name is *Xerocomus lignicola* (Kallenb.) Sing. in Ann. Mycol. 40: 43. 1942.

Kriegsteiner (1981) gives the name *Buchwaldoboletus lignicola* Pilát as a synonyme of *Pulveroboletus lignicola*. This is erroneous because the correct name is *Buchwaldoboletus lignicola* (Kallenb.) Pil.

A complete list of the synonyms concerning *Buchwaldoboletus lignicola* (Kallenb.) Pil. is submitted in the another author's paper (Szczepka 1981).

I am grateful to Dr. T. Tacik for his consultation, and to Dr. W. Wojewoda for reviewing this paper. I am very thankful to Prof. Dr. A. Skirgiello for critical remarks.

REFERENCES

- Bertault R., 1979, Bolets du Maroc. Bull. Soc. Myc. Fr. 95: 297 - 318.
- Bresinsky A., Haas H., 1976, Übersicht der in der Bundesrepublik Deutschland beobachteten Blätter- und Röhrenpilze. Beih. z. Zeitschr. Pilzk. 1: 43 - 160.
- Cetto B., 1978, Der grosse Pilzführer II. BLV Verl., München, Bern, Wien.
- Dähncke R. M., Dähncke S. M., 1980, 700 Pilze in Farbfotos. AT Verl. Aarau, Stuttgart.
- Dick E. A., Snell W. H., 1965, Notes on Boletes. XV. Mycologia 57: 448 - 458.
- Döll R., 1975, Mykologische Notizen aus Mecklenburg III. Myk. Mitt. Bl. 19: 86 - 98.
- Hardtke H.-J., Wähner H., 1983, Zur Pilzflora des Elbhugelandes und der angrenzenden Gebiete (1. Beitrag). Boletus 7: 5 - 12.
- Juhász O., 1979, Růst hřibů dřevozájněho (*Pulveroboletus lignicola* (Kbch) Pilát). Myk. sb. 56: 140 - 141.
- Kallenbach F., 1929, Die Röhrlinge (Boletaceae), Nr 15. *Boletus lignicola* sp. n. Nadelholz - Röhrling. [In:] Die Pilze Mitteleuropas, W. Klunkhardt, Leipzig, 1: 57 - 60.
- Konrad P., Maublanc A., 1952, Les Agaricales II. Ed. P. Chevalier, Paris.
- Kreisel H., 1975, Die Gattungen der Grosspilze Europas. [In:] Michael, Hennig, Kreisel: Handbuch für Pilzfreunde, G. Fischer, Jena.
- Kriegsteiner G. J., 1981, Verbreitung und Ökologie 150 ausgewählter Blätter und Röhrenpilze in der Bundesrepublik Deutschland (Mitteleuropa). Beih. z. Zeitschr. Mykol. 3: 1 - 276.

- Kriegsteiner G. J., 1982, Verbreitung und Ökologie 200 ausgewählter Röhren-, Blätter-, Poren- und Rindenpilze in den Bundesrepublik Deutschland (Mitteleuropa). Beih. Mykol. 4: 1 - 270.
- Kuthan J., 1967, Několik vzácnějších makromycetů nalezených v severomoravském kraji v roce 1966. Mykolog. zpravodaj 11(1): 15 - 17.
- Kuthan J., Sedivý J., 1971, *Pulveroboletus lignicola* (Kallenb.) Pil. – hřib dřevožijny v Československu. Čes. mykol. 25: 135 - 139.
- Michael E., Hennig B., 1960, Handbuch für Pilzfreunde II; 1971, ditto, 2 Aufl.; G. Fischer Verl., Jena.
- Moser M., 1955, Die Röhrlinge, Blätter- und Bauchpilze. G. Fischer, Stuttgart.
- Moser M., 1967, Die Röhrlinge und Blätterpilze (Agaricales). G. Fischer, Stuttgart.
- Moser M., 1978, Die Röhrlinge und Blätterpilze (Polyporales, Boletales, Agaricales, Russulales). G. Fischer, Jena.
- Nakucrivišvili I. G., 1975, Agarikal'nyje griby Gruzii. Mecniereba, Tbilisi.
- Nakucrivišvili I. G., 1981, Agaricales [In:] Opredelitel' sporovykh rastienij Gruzii. Mecniereba, Tbilisi, 1: 135 - 366.
- Pegler D. N., 1977, A preliminary agaric flora of East Africa. Kew Bull. Addit. Ser. 6: 1 - 615.
- Pilát A., 1965, Hřib dřevožijny – *Pulveroboletus lignicola* (Kallenbach) comb. nov. na Sumave? Čes. mykol. 19: 180 - 181.
- Pilát A., 1969, *Buchwaldoboletus*. Genus novum Boletacearum. Friesia 9: 217 - 218.
- Ried D. A., 1966, Coloured illustrations of rare and interesting Fungi I. Nova Hedwigia 11, Suppl.
- Samgina D. I., 1981, Agarikovyje griby. 1. Flora spor. rast. Kazakhstana, „Nauka“ Kaz. SSR. Alma-Ata, 13: 1 - 270.
- Schier E., Piesche E., 1962. Neue Funde von Nadelholzröhrling – *Phlebopus lignicola* (Kall.) Sing. Myk. Mitt. Bl. 6: 34 - 35.
- Schwintz P., 1965, Un Bolet très rare: *Ixocomus lignicola* Kallenbach. Bull. Soc. Myc. Fr. 81(4): Atlas, pl. 64.
- Singer R., 1947, The Boletinae of Florida with notes on extra-limital species. III. Amer. Midl. Nat. 37: 1 - 135.
- Singer R., 1967, Die Röhrlinge II. [In:] Die Pilze Mitteleuropas 6: 1 - 151. J. Klinkhardt, Bad Heilbrunn.
- Singer R., 1975, The Agaricales in Modern Taxonomy. 3 ed. J. Cramer, Vaduz.
- Singer R., 1981, Notes on bolete taxonomy – III. Persoonia 11: 269 - 302.
- Skirgiello A., 1960, Borowikowe (Boletales). [In:] Flora roślin zarodn. Pol. PWN, Warszawa.
- Skirgiello A., 1975, Fungi – Basidiomycetes – Boletales. Depart. Nat. Cent. Techn. Econ. Inform., Warsaw.
- Stojčev G. T., 1982, Novi taksoni i chorologični danni za g'bnata flora na B'lgaria. Fitologia 21: 43 - 50.
- Szczepka M. Z., 1981, *Buchwaldoboletus lignicola* (Kallenb.) Pil. in Poland. Fragm. flor. geobot. 27: 265 - 274.
- Watling R., 1964, Notes on British Boleti: III. Trans. Proc. Bot. Soc. Edinburgh 39: 475 - 488.
- Wilhelm M., 1980, Makroskopische Beschreibung von *Pulveroboletus lignicola* (Kallenbach) Pilát, Nadelholzröhrling. Schweiz. Z. Pilzk. 58: 5 - 6.
- Zerova M. Ya., Rozhenko G. L., Cherep T. L., 1975, Classification schemes and taxonomic criteria of Boletales. Ukr. bot. zhurn. 32: 570 - 596.
1978. International Code of Botanical Nomenclature; 1975. Scheltema, Holkema, Utrecht.

Uwagi o nomenklaturze *Buchwaldoboletus lignicola* (Kallenb.) Pil.

Streszczenie

Autor dokonał przeglądu nazewnictwa *Buchwaldoboletus lignicola* (Kallenb.) Pil. Wykazał, że spotykana powszechnie w literaturze nazwa *Pulveroboletus lignicola* (Kallenb.) Pil. nie jest poprawna, podobnie jak szereg innych nazw: *Ixocomus lignicola* (Kallenb.) Schwinte, *Phleboporus lignicola* (Kallenb.) Moser, *Phlebopus lignicola* (Kallenb.) Singer, *Pulveroboletus lignicola* (Kallenb.) Moser, *Xerocomus lignicola* Singer, *Buchwaldoboletus lignicola* Pilkt.

Addendum

The name *Suillus lignicola* (author sp. the combination?) is mentioned by Peltier (1968, Acta Mycol. 4: 263 - 274) and Alessia (1982, Mycol. Ital. 11: 5 - 16). It is not correct name.