

Facebook for Sentiment Analysis: Baseline Models to Predict Facebook Reactions of Sinhala Posts

Vihanga Jayawickrama*, Gihan Weeraprameshwara*, Nisansa de Silva*, Yudhanjaya Wijeratne†

* Department of Computer Science & Engineering, University of Moratuwa

†LIRNEasia

vihangadewmini.17@cse.mrt.ac.lk

Abstract— Research on natural language processing in most regional languages is hindered due to resource poverty. A possible solution for this is utilization of social media data in research. For example, the Facebook network allows its users to record their reactions to text via a typology of emotions. This network, taken at scale, is therefore a prime dataset of annotated sentiment data. This paper uses millions of such reactions, derived from a decade worth of Facebook post data centred around a Sri Lankan context, to model an *eye of the beholder* approach to sentiment detection for online Sinhala textual content. Three different sentiment analysis models are built, taking into account a limited subset of reactions, all reactions, and another that derives a positive/negative *star rating* value. The efficacy of these models in capturing the reactions of the observers are then computed and discussed. The analysis reveals that the *Star Rating Model*, for Sinhala content, is significantly more accurate (0.82) than the other approaches. The inclusion of the *like* reaction is discovered to hinder the capability of accurately predicting other reactions. Furthermore, this study provides evidence for the applicability of social media data to eradicate the resource poverty surrounding languages such as Sinhala.

Keywords— NLP, sentiment analysis, Sinhala, word vectorization

I. INTRODUCTION

UNDERSTANDING human emotions is an interesting, yet complex process which researchers and scientists around the world have been attempting to standardize for a long period of time. In the computational sciences, sentiment analysis has become a major research topic, especially in relation to textual content [1, 2]. Several fields, scattered in diverse arenas from product marketing to political manipulations, benefit from the advancements in sentiment

Correspondence: Vihanga Jayawickrama #1 (E-mail: vihangadewmini.17@cse.mrt.ac.lk) Received: 10-08-2022
Revised: 25-10-2022 Accepted: 28-10-2022

Vihanga Jayawickrama¹, Gihan Weeraprameshwara², Nisansa de Silva³ are from university of Moratuwa, Department of Computer Science and Engineering. (vihangadewmini.17@cse.mrt.ac.lk, gihanravindu.17@cse.mrt.ac.lk, nisansads@cse.mrt.ac.lk) Yudhanjaya Wijeratne⁴ is from LIRNEasia (yudhanjaya@lirneasia.net)

This paper is an extended version of the paper “Seeking Sinhala Sentiment: Predicting Facebook Reactions of Sinhala Posts” presented at the ICTer Conference (2021)

DOI: <http://doi.org/10.4038/ict.v15i2.7247>

© 2022 International Journal on Advances in ICT for Emerging Regions




Fig. 1: Facebook Reactions

analysis. Studies such as those conducted by Rudkowsky et al. [3], Aguwa et al. [4], and Zobal [5] have described the potential of sentiment analysis and attempted to introduce useful tools for use in this field and discover new knowledge

Sentiment analysis of textual content can be approached in two ways:

- 1) Through the perspective of the creator
- 2) Through the perspective of the observer.

Many research projects attempt to follow the first approach, but only a few such as Hui et al. [6] have followed the second. Exploring the perspective of the observer would be quite important since the emotional reaction of the *author* and the *reader* to the same content is not necessarily identical. For certain fields, such as movie reviews [7] or product reviews [8], the perspective of the *author* is much more valuable than that of the *reader*; however, this relationship does not always hold true. Much effort is generally expended in the field of political polling, for example, where the public perception of a speech is studied to assess impact.

To the extent of our knowledge, no attempt has been made to do such analysis in Sinhala, the subject of this study. Sinhala, similar to many other regional languages, suffers from resource poverty [9]. Previous research and resources available for NLP in Sinhala are limited and isolated [10, 11]. This is therefore an experimental attempt in bridging this knowledge gap. The objective is to predict the sentimental reaction of Facebook users to textual content posted on Facebook. This study uses a raw corpus of Sinhala Facebook posts scraped through Crowdtangle¹ by Wijeratne and de Silva [12], and analyses the user reactions therein as a sentiment annotation that reflects the emotional reaction of a reader to the said post [13]. Facebook reactions *Like*, *Love*, *Wow*, *Haha*, *Sad*, *Angry*, and *Thankful* are utilized as the sentiment annotation of a post within the scope of this project. Figure 1 illustrates the visual representations of Facebook reactions presented to the users and are included in the dataset.

¹<https://www.crowdtangle.com/>



This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Overall, three models were created and tested. As for the first model, a reaction vector was created for each post with the normalized reaction counts belonging to *Love*, *Wow*, *Haha*, *Sad*, and *Angry* categories. *Like* and *Thankful* reactions, which are outliers at positive and negative ends of the spectrum respectively, were ignored. The results showed that the procedure could predict reaction vectors with F1 scores ranging between 0.13 and 0.52. The second model was highly similar to the first model, the only difference being the inclusion of *Like* and *Thankful* reactions for the prediction. The resultant F1 scores ranged between 0.00 and 0.96.

In the third model, the reactions were combined to create a positivity/negativity value for each post, following the procedure presented by De Silva et al. [8]. Here, *Love* and *Wow* were considered as positive, *Sad* and *Angry* were considered as negative, and *Haha* was ignored due to its conflicting use cases. The normalization was carried out as earlier for the four reactions included, and the difference between positive and negative values were re-scaled into the range 1 to 5, in order to map to the popular star rating system utilized by De Silva et al. [8]. The F1 score of this star rating value ranged between 0.29 and 0.30. In contrast, the binary categorization of reactions as Positive and Negative exhibited promising results, with F1 scores in the range 0.70-0.71 for *Positive* and 0.41 - 0.42 for *Negative*.

Thus, it can be concluded that such a binary categorization system captures the sentimental reaction to Facebook post more efficiently in comparison to the multi-category reaction value system, and presents a measure of reasonable accuracy in the imputation of such sentiment.

It should be re-iterated here that the values used here are completely independent from the intended or perceived sentiment of the original posts and are solely dependent on sentiment expressed by the audience reactions. Further, the model only attempts to predict the positivity or the negativity of Facebook reactions added to a post by users, and not of the actual emotion inflicted in the users by the post. While the duo might be correlated, the exact nature of the relation would have to be further explored before reaching a distinct conclusion. Figure 2 illustrates the scope of this research, where arrows indicate the influences among intended and perceived sentiments. This journal paper is an extension of our previously published conference paper [14].

II. BACKGROUND

Many of the studies on sentiment analysis are focused on purposes such as understanding the quality of reviews given for products presented in e-commerce sites [8, 15, 16] or understanding the political preferences of people [3, 17].

Among the research on review analysis, the work of De Silva et al. [8] is prominent. Rather than conducting a sentiment analysis following the more traditional procedures of identifying sentiments at the sentence level or at the document level, which assumes each sentence and each document to reflect a single emotion, this study had taken a path to determine sentiments on an aspect level. Different aspects were extracted from the review, and for each aspect, the sentiment value was calculated. Further, the study provides a set of guidelines to determine the semantic orientation of a subject using a sentiment lexicon while guiding how to handle negations, words that increase sentiment, words that shift the sentiment of the sentences,

and groups of words that are used to express an emotion, all of which are important to convert sentiment in text into mathematical figures. The methodology presented by De Silva et al. [8] is crucial for this study since it provides the basis of one of the two workflows we discuss in this study to predict reactions for Sinhala text.

The work by Martin and Pu [16], a research done on creating a prediction model that could identify helpful reviews that are not yet voted by other users, emphasizes the value of sentiment analysis. Rather than solely relying on structural aspects of a review such as the length and the readability score, the emotional context was also utilized in rating the reviews, with the support of the GALC lexicon, which represents 20 different emotional categories. One of the most important findings of the project was that the emotion based model outperforms the structure based model by 9%. The work of Singh et al. [15] too has used several textual features such as ease of reading, subjectivity, polarity, and entropy to predict the helpfulness ratio. The model intends to assist the process of assigning a helpfulness value to a review as soon as the review is posted, thus giving the spotlight to useful reviews over irrelevant reviews. Both researches have highlighted the usefulness of understanding the reaction of the reader to different content. The studies on political preferences cover a massive area. Many governments and political parties use social media to understand the audience. Therefore, the power vested in sentiment analysis cannot be ignored.

The research done by Caetano et al. [17] and Rudkowsky et al. [3] explain two different cases where sentiment analysis is utilized in politics. Caetano et al. attempts to analyse twitter data and define the homophily of the twitter audience while Rudkowsky et al. demonstrates the usability of word embedding over bag-of-words by developing a negative sentiment detection model for parliament speeches. Caetano et al. concludes that the homophily level increased with the multiplex connection of the audience, while Caetano et al. states that the negativity of the speeches of a parliament member correlates to the position he holds in the parliament. While these instances may not be immediately identifiable as direct results of sentiment analysis, they are great examples for the wide range covered by sentiment analysis.

Facebook data plays a major part in our research. Therefore, it is vital to explore the previous research done on Facebook data. The work by Pool and Nissim [18] and Freeman et al. [19] use datasets obtained from Facebook for emotion detection. The data scope covered through the work of Freeman et al. lacks diversity since the research is solely focused on Scholarly articles. However, Pool and Nissim has attempted to maintain a general dataset by using a variety of sources, ranging from New York Times to SpongeBob. The motivation behind this wide range of sources was to pick the best sources to train ML models for each reaction. Pool and Nissim too has looked into developing models with different features such as TF-IDF, embeddings, and n-grams. This comparison provides useful guidelines for picking up certain features in data. One of the most important aspects of the work by Pool and Nissim is that they have taken an extra step to test the models with external datasets; namely, AffectiveText [20], Fairy Tales [21], and ISEAR [22], to prove the validity of the developed model since those are widely used datasets in the field of sentiment analysis. This provides a common ground to compare different sentiment




Fig. 2: The scope of the research in comparison to the series of sentiments associated with a Facebook post

analysis models. The work of Graziani et al. [13] too follows the same procedure in comparing their model to those of others.

While all papers mentioned above provide quite useful information, almost all of them relate to English, which is a resource-rich language. On the contrary, our project will be based on the Sinhala language, which is a resource-poor language in the NLP domain [9]. Very few attempts have been made to detect sentiments in Sinhala content, and most of the attempts made were either abandoned or not released to the public [10]. This poses a major challenge to our work due to the scarcity of similar work in the domain.

Among the currently available research in this arena, Senevirathne et al. [23] is the state-of-the-art Sinhala text sentiment analysis attempt to the best of our knowledge. Through this paper, Senevirathne et al. has introduced a study of sentiment analysis models built using different deep learning techniques as well as an annotated sentiment dataset consisting of 15059 Sinhala news comments. The work was done to understand the reactions of the people reading. Furthermore, earlier attempts such as Medagoda et al. [24] provides insight into utilizing resources available for languages such as English for generating progress in sentiment analysis in Sinhala. The partially automated framework for developing a sentiment lexicon for Sinhala presented through Chathuranga et al. [25] is a noteworthy attempt at using a Part-of-Speech (PoS) tagged corpus for sentiment analysis. The authors proposed the use of adjectives tagged as positive or negative to predict the sentiment embedded in textual content.

Obtaining a corpus that would fit our purposes was the second major challenge we faced when working with a Sinhala, given that, as Caswell et al. [26] observes, the majority of the publicly available datasets for low resource languages are not of adequate quality. Fortunately, the work of Wijeratne and de Silva [12] provided an adequate dataset. The authors presented Corpus-Alpha: a collection of Sinhala Facebook posts, Corpus-Sinhala-Redux: posts with only Sinhala text and a collection of stopwords. Both the raw corpus created by the authors and the stopwords will be used in our work.

III. METHODOLOGY

This study was conducted using the raw Facebook data corpus developed by Wijeratne and de Silva [12] through Facebook Crowdtangle. The corpus consists of 1,820,930 Facebook posts created by pages popular in Sri Lanka between 01-01-2010 and 02-02-2020 [12]. The table I describes the columns of the corpus that were utilized for the

purpose of this study. The Facebook reactions, which are emotional reactions of Facebook users to content, are utilized as sentiment annotations within this study. When taken collectively, user annotations can be considered as an effective representation of the public perception of the given content.

A. Pre-processing

The corpus was pre-processed by cleaning the Message column and normalizing reaction counts. Cleaning the Message column was initiated by removing control characters in the text. Characters belonging to Unicode categories *Cc*, *Cn*, *Co*, and *Cs* were replaced with a space [27]. The character with the unicode value 8205, also known as the *Zero Width Joiner*, was replaced with a null string while the other characters in category *Cf* were replaced by a space. The reason for this is that the Zero Width Joiner was often present in the middle of Sinhala words, especially when the Sinhala characters *rakāransaya* (රකාරාංශය), *yansaya* (යාන්සය), and *rēpaya* (රේඵය) were used.

From the subsequent text, URLs, email addresses, user tags (of the format @user), and hashtags were removed. Since only Sinhala and English words are to be considered in this study, any words containing characters that are neither Sinhala nor ASCII were removed. The list of stop words for Sinhala developed from this corpus by Wijeratne and de Silva [12] were removed next. English letters in the corpus were then converted to lowercase. All remaining characters that do not belong to Sinhala letters or English letters were replaced with white spaces. Numerical content was removed due to their high unlikelihood to be repeated in the same sequence order. Finally, multiple continuous white spaces in the corpus were replaced with a single white space. Once cleaned, entries of which the Message column were merely null strings or empty strings were removed from the corpus. The final cleaned corpus consisted of 526,732 data rows.

B. Core Reaction Set Model

In selecting the core reaction set, *Like* and *Thankful* reactions were excluded due to their counts being outliers in comparison to other reactions; *Like* being an outlier on the higher end and *Thankful* being an outlier on the lower end. The total count of each reaction in the corpus along with their percentages are mentioned in table II. A probable reason for the abnormal behaviour of those reactions are the duration that they have been present on Facebook. *Like* was the first reaction introduced to the platform, back in 2009 [28]. *Love*,

TABLE I
FIELDS OF THE SOURCE DATASET THAT WERE USED FOR THIS STUDY

Field Name	Description	Data Type
Index	Index of the dataset	int
Like	The number of <i>Like</i> reacts on the post	int
Love	The number of <i>Love</i> reacts on the post	int
Wow	The number of <i>Wow</i> reacts on the post	int
Haha	The number of <i>Haha</i> reacts on the post	int
Sad	The number of <i>Sad</i> reacts on the post	int
Angry	The number of <i>Angry</i> reacts on the post	int
Thankful	The number of <i>Thankful</i> reacts on the post	int
Message	Textual content of the Facebook post	string

$$T = n_L + n_W + n_H + n_S + n_A \quad (1)$$

$$N_r = \frac{n_r}{T} \quad (2)$$

TABLE II
TOTAL COUNTS OF REACTIONS IN THE CORPUS

Reaction	Count	Percentage	
		All	Core
Like	528,060,209	95.43	-
Love	12,526,942	2.26	49.56
Wow	1,906,174	0.34	7.54
Haha	6,524,139	1.18	25.81
Sad	2,987,589	0.54	11.82
Angry	1,329,552	0.24	5.26
Thankful	13,637	0.002	-

Wow, *Haha*, *Sad*, and *Angry* reactions were introduced in 2016 [29]; however, *Like* still retained its state as the default reaction which a simple click on the react button enforces. The *Thankful* reaction was a temporary option introduced as part of Mothers' Day celebrations of Facebook in May 2016 [30]. The reaction was removed from the platform after a few days, and was reintroduced in May 2017 to be removed again after the Mother's Day celebrations [31].

Thus, the core reaction set was defined considering only the *Love*, *Wow*, *Haha*, *Sad*, and *Angry* reactions. The percentages of the core reactions are also shown in Table II. Furthermore, Fig. 3 shows the core reaction percentages as a pie chart. Thus, initially, the normalization was done considering only the core reactions. Equation 1 obtains the sum of reactions (T) of an entry using the counts of: *Love* (n_L), *Wow* (n_W), *Haha* (n_H), *Sad* (n_S), and *Angry* (n_A). The Equation 2 shows the normalized value N_r for reaction r where n_r is the raw count of the reaction and T is the sum obtained in Equation 1.

The dataset was then divided into train and test subsets for the purpose of calculating and evaluating the accuracy of vector predictions. The message column of the train set was




Fig. 3: Core Reaction Percentages

tokenized into individual words, and set operation was used to obtain the collection of unique words for each entry. Then, a dictionary was created for each entry by assigning the normalized reaction vector of the entry to each word. The dictionaries thus created were merged vertically, taking the average value of vectors assigned to a word across the dataset as the aggregate reaction vector of that word. Equation 3 describes this process where V_W is the aggregate reaction vector for the word W , R_i is the reaction vector of the i th entry (E_i), n is the number of entries, and \emptyset is the empty vector.

$$V_W = \frac{\sum_{i=1}^n \begin{cases} R_i & \text{if } W \in E_i \\ \emptyset & \text{otherwise} \end{cases}}{\sum_{i=1}^n \begin{cases} 1 & \text{if } W \in E_i \\ 0 & \text{otherwise} \end{cases}} \quad (3)$$

The dictionary thus created was used to predict the reaction vectors of the test dataset. Entries in the test set were tokenized and then converted to unique word sets similar to the aforementioned processing of the training set. Then for each of the words in a set of a message which also exists in the dictionary created above, the corresponding reaction vector was obtained from the dictionary. For entries of which none of the words were found in the dictionary, the mean vector value of the train dataset was assigned. Equation 4 shows the calculation of the predicted vector V_M for a message where, V_W is taken from the dictionary (which was populated as described in Equation 3), and N_M is the number of words in the message M .

$$V_M = \frac{\sum_{N_M} V_M}{N_M} \quad (4)$$

C. Defining the Evaluation Statistics

To evaluate the performance of the prediction process, a number of statistics were calculated. Equation 5 shows the calculation of Accuracy A_r for reaction r where, N_r is the expected (actual) value for the entry as calculated in Equation 2 and M_r is the predicted value calculated in Equation 4 as $M_r \in V_M$.

$$A_r = \min(N_r, M_r) \quad (5)$$

The accuracy can be defined this way since we are solving a bin packing problem and the vector values are sum up to 1. Equations 21, 7, and 22 shows the calculation of Recall (R_r), Precision (P_r), and F1 score ($F1_r$) respectively where notation is same as Equation 5.

$$R_r = \frac{A_r}{M_r} \quad (6)$$

$$P_r = \frac{A_r}{N_r} \quad (7)$$

$$F1_r = \frac{2 \times A_r}{N_r + M_r} \quad (8)$$

The above measures were calculated for each entry of the dataset and the average value of each measure was assigned as the resultant performance measure of the dataset. Those values were then averaged across 5 runs of the code.

D. All Reaction Set Model

The *All Reaction Set Model* was developed following the same procedure of the core reaction set model. In addition to the reactions included in the core reaction set, *Like* (n_{Li}) and *Thankful* (n_T) were considered during this step. Equation 9 depicts how the sum of reactions is obtained while the normalized value N_r^* for each reaction could be obtained as mentioned in Equation 10. T^* refers to the sum of reactions obtained through Equation 9.

$$T^* = n_{Li} + n_L + n_W + n_H + n_S + n_A + n_T \quad (9)$$

$$N_r^* = \frac{n_r}{T^*} \quad (10)$$

The sentiment vector for each entry was then generated following the same procedure as in III-B. The evaluation was done as mentioned in III-C.

E. Star Rating Model

The next step of the study was inspired by the procedure proposed by De Silva et al. [8]. They propose using the star rating to generate sentiment vectors. Since the star rating take They propose using the star rating associated with amazon customer reviews to generate sentiment vectors. Since the star rating takes a value between 1 and 5 where 3 is considered neutral, and values more than 3 and less than 3 are considered as positive and negative respectively by them. To adjust Facebook reactions to this scale, we classified the




Fig. 4: Reactions Considered for the Star Rating Model

positivity of reactions as presented in table IV. The positivity of the *Haha* reaction is considered to be uncertain due to its conflicting use cases: the reaction is often used both genuinely and sarcastically on the platform [32]. Therefore, the experiment was carried out considering only the *Love*, *Wow*, *Sad*, and *Angry* reactions. The normalization process described in Section III-B for the *Core Reaction Set Model* was updated by modifying Equation 1 as shown in Equation 11 and modifying Equation 2 as shown in Equation 12, where \hat{T} is the modified sum of reactions of the entry. Figure 4 presents the distribution of selected reactions in the corpus.

$$\hat{T} = n_L + n_W + n_S + n_A \quad (11)$$

$$\hat{N}_r = \frac{n_r}{\hat{T}} \quad (12)$$

The positive sentiment value ($E_{(P,i)}$) for entry i was calculated by summing the Normalized *Love* (\hat{N}_L) and Normalized *Wow* (\hat{N}_W) values while the negative sentiment ($E_{(N,i)}$) was calculated by summing the Normalized *Sad* (\hat{N}_S) and Normalized *Angry* (\hat{N}_A) values, as shown in Equations 13 and 14. Using $E_{(P,i)}$ and $E_{(N,i)}$, the aggregated sentiment for entry i was calculated as shown in Equation 15.

$$E_{(P,i)} = \hat{N}_{(L,i)} + \hat{N}_{(W,i)} \quad (13)$$

$$E_{(N,i)} = \hat{N}_{(S,i)} + \hat{N}_{(A,i)} \quad (14)$$

$$E_i = E_{(P,i)} - E_{(N,i)} \quad (15)$$

The Star Rating Value (S_i) for entry i which is calculated over the entire dataset was computed as shown in Equation 16 where I is the set of entries in the dataset.

$$S_i = 4 \times \left(\frac{E_i - \min_{E_j \in I} (E_j)}{\max_{E_j \in I} (E_j) - \min_{E_j \in I} (E_j)} \right) + 1 \quad (16)$$

The sentiment vector (V_i) for entry i is defined in Equation 17 where $E_{(P,i)}$, $E_{(N,i)}$, and S_i were calculated as mentioned before.

$$V_i = [E_{(P,i)}, E_{(N,i)}, S_i] \quad (17)$$

Once the vectors were computed, the processing of test and train sets, building of the dictionary, and evaluating the

TABLE III
PERFORMANCE MEASURES OF VECTOR PREDICTIONS

Train (%)	Reaction	Core Reaction Set Model				All Reaction Set Model			
		Accuracy	Recall	Precision	F1 Score	Accuracy	Recall	Precision	F1 Score
95	Like	-	-	-	-	0.9169	0.9651	0.9691	0.9626
	Love	0.3119	0.5863	0.7838	0.5164	0.0056	0.2510	0.6221	0.1769
	Wow	0.0298	0.3111	0.6373	0.2218	0.0005	0.1487	0.4550	0.0818
	Haha	0.1163	0.4241	0.6279	0.3060	0.0042	0.1646	0.6044	0.1068
	Sad	0.0497	0.2355	0.6206	0.1613	0.0015	0.1013	0.5829	0.0638
	Angry	0.0175	0.2059	0.5837	0.1318	0.0006	0.0880	0.5193	0.0495
	Thankful	-	-	-	-	0.0000	0.0007	0.0440	0.0000
90	Like	-	-	-	-	0.9170	0.9652	0.9691	0.9626
	Love	0.3119	0.5847	0.7833	0.5147	0.0056	0.2513	0.6225	0.1774
	Wow	0.0299	0.3110	0.6375	0.2216	0.0005	0.1486	0.4557	0.0818
	Haha	0.1160	0.4242	0.6261	0.3053	0.0042	0.1639	0.6043	0.1064
	Sad	0.0497	0.2360	0.6205	0.1616	0.0015	0.1009	0.5840	0.0636
	Angry	0.0174	0.2041	0.5834	0.1308	0.0006	0.0882	0.5162	0.0494
	Thankful	-	-	-	-	0.0000	0.0007	0.0376	0.0000
80	Like	-	-	-	-	0.9167	0.9649	0.9691	0.9625
	Love	0.3118	0.5854	0.7833	0.5153	0.0056	0.2515	0.6208	0.1770
	Wow	0.0298	0.3113	0.6370	0.2218	0.0005	0.1490	0.4527	0.0816
	Haha	0.1160	0.4238	0.6266	0.3052	0.0042	0.1647	0.6037	0.1067
	Sad	0.0499	0.2380	0.6176	0.1623	0.0015	0.1012	0.5825	0.0636
	Angry	0.0174	0.2045	0.5856	0.1314	0.0006	0.0889	0.5142	0.0497
	Thankful	-	-	-	-	0.0000	0.0007	0.0297	0.0000
70	Like	-	-	-	-	0.9167	0.9650	0.9690	0.9625
	Love	0.3117	0.5855	0.7829	0.5152	0.0056	0.2513	0.6216	0.1771
	Wow	0.0298	0.3110	0.6376	0.2217	0.0005	0.1484	0.4539	0.0814
	Haha	0.1158	0.4236	0.6263	0.3049	0.0042	0.1643	0.6045	0.1065
	Sad	0.0497	0.2368	0.6183	0.1616	0.0015	0.1014	0.5816	0.0637
	Angry	0.0174	0.2050	0.5847	0.1314	0.0006	0.0885	0.5155	0.0495
	Thankful	-	-	-	-	0.0000	0.0007	0.0342	0.0000
50	Like	-	-	-	-	0.9167	0.9650	0.9690	0.9625
	Love	0.3121	0.5863	0.7824	0.5156	0.0056	0.2513	0.6206	0.1768
	Wow	0.0298	0.3113	0.6361	0.2214	0.0005	0.1491	0.4519	0.0815
	Haha	0.1155	0.4236	0.6249	0.3043	0.0042	0.1643	0.6034	0.1063
	Sad	0.0496	0.2366	0.6195	0.1617	0.0015	0.1014	0.5815	0.0636
	Angry	0.0173	0.2041	0.5855	0.1310	0.0006	0.0886	0.5142	0.0494
	Thankful	-	-	-	-	0.0000	0.0007	0.0330	0.0000




Fig. 6: Changes of the F1 score of the Star Rating Model with Train-Test Division

TABLE IV
POSITIVITY AND NEGATIVITY OF FACEBOOK REACTIONS

Reaction	Positivity/Negativity
Love	Positive
Wow	Positive
Haha	Uncertain
Sad	Negative
Angry	Negative

model was conducted akin to that in Section III-C and Section III-B. The performance measures of the model were calculated using Gaussian distances.

1) *Accuracy*: The accuracy of prediction for each post was measured in terms of True Gaussian Distance of a post, which is defined as the Gaussian distance to the predicted Star Rating Value of the post from its true Star Rating Value, on a distribution centered on the true Star Rating Value. It should be noted that the raw star rating values before discretizing into classes are utilized here. The accuracy \hat{A}_i of a post i with True Gaussian Distance $G_{T,i}$ is calculated as shown in Equation 18. Equation 19 then describes the calculation of accuracy \hat{A}_x for class x of which the number of posts is n_x .

$$\hat{A}_i = 1 - G_{T,i} \quad (18)$$

$$\hat{A}_x = \frac{\sum_{n=1}^{n_x} \hat{A}_i}{n_x} \quad (19)$$

2) *Precision*: In order to calculate the precision of predictions, the Gaussian Trespass of each post into its predicted class was considered. The trespass was measured as the Gaussian distance from the boundary of the true class of the post to the midpoint of its predicted class, on a Gaussian distribution centered around the midpoint of the

true class. Equation 20 shows the calculation of precision of each star rating class, where \hat{P}_x represents the precision value of class x , $n_{cc,x}$ represents the number of correctly classified posts in class x , and T_i represents the trespass value of post i in class x .

$$\hat{P}_x = \frac{n_{cc,x}}{n_{cc,x} + \sum_{n=1}^{n_x} T_i} \quad (20)$$

3) *Recall*: The recall value was calculated for each post in terms of its Class Gaussian Distance, which is defined as the Gaussian distance to the midpoint of the predicted Star Rating Class of the post from the midpoint of its true Star Rating Class, on a distribution which is centered on the midpoint of the true class. The recall value \hat{R}_x for a class x consisting of an n_x number of Facebook posts, each with a recall of \hat{R}_i , was obtained as depicted by Equation 21.

$$\hat{R}_x = \frac{\sum_{n=1}^{n_x} \hat{R}_i}{n_x} \quad (21)$$

4) *F1 Score*: The F1 score of each class was then calculated based on the precision and recall values of the class, following the standard formula. Equation 22 portrays the calculation of F1 score $\hat{F1}_x$ for class x .

$$\hat{F1}_x = \frac{2 \times \hat{P}_x \times \hat{R}_x}{\hat{P}_x + \hat{R}_x} \quad (22)$$

5) *Overall Performance*: The overall performance measures for star rating were calculated by taking a weighted mean of performance measures of classes, with weights assigned based on the class size.

IV. RESULTS

Table III shows the results obtained for the preference measure defined in Section III-C for the *Core Reaction Set Model* introduced in Section III-B and *All Reaction Set Model* introduced in Section III-D. All reactions except *Sad* reach their highest F1 score at the 95% – 05% train-test division, while the *Sad* reaction reaches its peak F1 score at the 80% – 20% division. Interestingly, the performance of the model in predicting each reaction seems to roughly follow a specific pattern; reactions that were used more often in the dataset seem to have a higher F1 score than reactions that were used less often, with the exception of the F1 score of *Wow* being higher than that of *Sad*. Figure 5 portrays the F1 score for each reaction as the train-test division varies for the *Core Reaction Set Model*. In the case of *All Reaction Set Model*, as shown in Table III, while the F1 of *Like* was much higher than that of other reactions, its inclusion brought forth significant reductions in the F1 scores of the other reactions. The *Thankful* reaction had a F1 of almost zero.

The overall results obtained for *Star Rating Model* introduced in section III-E are shown in table V. In contrast to the results obtained for Positive and Negative components, aggregation of reactions into a single Star Rating value has caused a significant decrease in precision; possibly due to the discrete nature of the Star Rating value which is divided into bins at 0.5 intervals. Figure 6 portrays the change of F1 value with the train-test division.

TABLE V
PERFORMANCE MEASURES OF STAR RATING VECTOR PREDICTION

Train Set (%)	Category	Performance Measure			
		Accuracy	Recall	Precision	F1 Score
95	Positive	0.5406	0.7496	0.8601	0.7068
	Negative	0.2062	0.4775	0.8067	0.4207
	Star Rating	0.6930	0.6912	0.2259	0.2921
90	Positive	0.5420	0.7524	0.8589	0.7088
	Negative	0.2052	0.4753	0.8069	0.4192
	Star Rating	0.6931	0.6913	0.2267	0.2945
80	Positive	0.5416	0.7527	0.8571	0.7075
	Negative	0.2038	0.4718	0.8077	0.4159
	Star Rating	0.6917	0.6896	0.2236	0.2912
70	Positive	0.5410	0.7503	0.8588	0.7065
	Negative	0.2046	0.4751	0.8051	0.4176
	Star Rating	0.6925	0.6905	0.2280	0.2975
50	Positive	0.5403	0.7514	0.8572	0.7064
	Negative	0.2040	0.4742	0.8053	0.4166
	Star Rating	0.6915	0.6895	0.2298	0.2994




Fig. 5: Changes of the F1 score of the Core Reaction Model with Train-Test Division

Furthermore, the results obtained for each Star Rating Class are displayed in Table VI. It could be observed that the model exhibits better performance with regard to predicting more neutral star rating values. While accuracy and recall measures show comparable performance across all classes, this difference becomes much more prominent in precision. Consequently, a notable increase in performance is observed in more neutral classes in terms of F1 score. Further explorations revealed that the root cause of this issue is that the predictions of the model tend to lean towards more neutral classes, as portrayed in Table VII. It should be noted

that the extremely positive and extremely negative classes are significantly larger in size, in comparison to comparatively neutral classes.

As portrayed by Figure 5, the performance of the models remains largely unaffected by the train-test division chosen. The reason could be the large size of the dataset; the number of unique words in the train dataset does not change significantly for different train-test divisions.

V. CONCLUSION

Upon comparing the *Star Rating Model* with the *Core Reaction Set Model*, it becomes evident that the F1 scores are significantly improved upon the accumulation of separate reaction values into two categories as *Positive* and *Negative*. A possible reason for this is the possibility of the intra-category measurement errors being eliminated due to merging. However, merging all reactions into a single Star Rating value accentuates errors. This could be accounted to the additional error margin introduced by discretization. Further, the model predictions for Star Rating Classes that are closer to the median proves to be better than those for the edge-classes. The negative effect of *Like* and *Thankful* reactions, which were eliminated in the *Core Reaction Set Model* due to their abnormal counts, could be proven as well. The inclusion of those reactions caused significant reductions in the F1 scores of the other reactions as can be seen from the results of the *All Reaction Set Model*.

This study represents modelling efforts that may be considered classical and limited in nature. Recent years have seen a significant growth in machine learning algorithms delivering exceptional results in many domains of text analysis, especially in finding non-linear relationships in the

TABLE VI
STAR RATING MODEL: CLASS PERFORMANCE MEASURES

Star Rating Class	Train Set (%)	Performance Measure			
		Accuracy	Precision	Recall	F1 Score
1.0	95	0.5677	0.0001	0.5573	0.0021
	90	0.5700	0.0015	0.5598	0.0030
	80	0.5673	0.0007	0.5574	0.0015
	70	0.5686	0.0012	0.5586	0.0023
	50	0.5672	0.0013	0.5572	0.0026
1.5	95	0.5886	0.0151	0.5981	0.0293
	90	0.5888	0.0127	0.5985	0.0248
	80	0.5888	0.0142	0.5969	0.0277
	70	0.5873	0.0164	0.5961	0.0319
	50	0.5880	0.0176	0.5965	0.0341
2.0	95	0.6368	0.0841	0.6448	0.1457
	90	0.6392	0.1134	0.6470	0.1924
	80	0.6369	0.0953	0.6450	0.1653
	70	0.6373	0.1039	0.6449	0.1785
	50	0.6370	0.1074	0.6442	0.1839
2.5	95	0.7177	0.4403	0.7288	0.5481
	90	0.7162	0.4191	0.7280	0.5318
	80	0.7174	0.4324	0.7270	0.5421
	70	0.7150	0.4286	0.7251	0.5385
	50	0.7147	0.4248	0.7251	0.5356
3.0	95	0.7930	0.6707	0.8043	0.7314
	90	0.7892	0.6408	0.7981	0.7108
	80	0.8018	0.6696	0.8077	0.7320
	70	0.7932	0.6427	0.7982	0.7118
	50	0.7954	0.6543	0.8021	0.7206
3.5	95	0.8513	0.8456	0.8677	0.8565
	90	0.8455	0.8357	0.8630	0.8491
	80	0.8473	0.8390	0.8640	0.8513
	70	0.8485	0.8319	0.8615	0.8465
	50	0.8470	0.8283	0.8600	0.8439
4.0	95	0.8378	0.8135	0.8517	0.8321
	90	0.8334	0.7929	0.8443	0.8178
	80	0.8346	0.7888	0.8426	0.8148
	70	0.8309	0.7833	0.8405	0.8109
	50	0.8333	0.7913	0.8434	0.8165
4.5	95	0.7642	0.6144	0.7819	0.6879
	90	0.7630	0.6130	0.7822	0.6872
	80	0.7584	0.6011	0.7784	0.6783
	70	0.7604	0.6108	0.7805	0.6853
	50	0.7604	0.6110	0.7803	0.6853
5.0	95	0.7154	0.1554	0.7047	0.2545
	90	0.7144	0.1564	0.7037	0.2558
	80	0.7135	0.1564	0.7028	0.2558
	70	0.7160	0.1646	0.7054	0.2669
	50	0.7134	0.1653	0.7030	0.2677

TABLE VII
STAR RATING MODEL: CONFUSION MATRIX OF CLASSES

		True Star Rating Class								
		1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0
Predicted Star Rating Class	1.0	5	51	848	2194	1516	920	256	19	2
	1.5	2	29	340	1444	1390	1159	406	37	0
	2.0	0	9	77	391	611	708	324	31	6
	2.5	1	4	22	157	324	414	258	27	0
	3.0	0	0	6	110	210	324	200	44	3
	3.5	0	0	8	61	216	466	329	93	2
	4.0	0	0	5	60	255	618	597	192	6
	4.5	0	2	7	98	446	1211	1602	1029	43
	5.0	1	4	7	210	1081	3594	8105	7798	844

data. Kowsari et al. [33] highlights a number of pre-processing steps (such as dimensionality reduction using topic modelling or principal component analysis) and algorithms that may be combined with the feature engineering work presented here (especially the selection of useful data classes and reduction to a star rating) for potentially more accurate models in the future. As noted therein, deep learning techniques hold particular promise. This is further explored in the work of Weeraprameshwara et al. [34], [35] that can be considered as a continuation of the research, which tests new models and develops a new embedding system using the Facebook data.

The study uses a word embedding developed by the work of Senevirathne et al. [23] for the Facebook dataset. However, developing an embedding structure based on the dataset may provide better sentiment annotation. Further enhancements can be done by introducing granularity to the embedding structure such as sentence embeddings.

An alternate approach to sophisticated modelling would be to examine pre-processing techniques therein that may not be possible in Sinhala as of the time of writing, due to limited or missing language resources and tooling, as noted by de Silva [10]; building these tools may further yield increases in accuracy even with a simplistic model.

References

- [1] V. Gamage, M. Warushavithana, N. de Silva and others, "Fast Approach to Build an Automatic Sentiment Annotator for Legal Domain using Transfer Learning," in *Proceedings of the 9th Workshop on Computational Approaches to Subjectivity, Sentiment and Social Media Analysis*, 2018.
- [2] P. Melville, W. Gryc and R. D. Lawrence, "Sentiment analysis of blogs by combining lexical knowledge with text classification," in *SIGKDD*, 2009.
- [3] E. Rudkowsky, M. Haselmayer, M. Wastian and others, "More than bags of words: Sentiment analysis with word embeddings," *Communication Methods and Measures*, vol. 12, p. 140–157, 2018.
- [4] C. Aguwa, M. H. Olya and L. Monplaisir, "Modeling of fuzzy-based voice of customer for business decision analytics," *Knowledge-Based Systems*, vol. 125, p. 136–145, 2017.
- [5] V. Zobal, Sentiment analysis of social media and its relation to stock market, Univerzita Karlova, Fakulta sociálních věd, 2017.
- [6] J. L. O. Hui, G. K. Hoon and W. M. N. W. Zainon, "Effects of word class and text position in sentiment-based news classification," *Procedia Computer Science*, vol. 124, p. 77–85, 2017.
- [7] R. Socher, A. Perelygin, J. Wu and others, "Recursive deep models for semantic compositionality over a sentiment treebank," in *EMNLP*, 2013.
- [8] S. De Silva, H. Indrajee, S. Premarathna and others, "Sensing the sentiments of the crowd: Looking into subjects," in *2nd International Workshop on Multimodal Crowd Sensing*, 2014.
- [9] Y. Wijeratne, N. de Silva and Y. Shanmugarajah, "Natural language processing for government: Problems and potential," *International Development Research Centre (Canada)*, 2019.
- [10] N. de Silva, "Survey on publicly available sinhala natural language processing tools and research," *arXiv preprint arXiv:1906.02358*, 2019.
- [11] S. Ranathunga and N. de Silva, "Some languages are more equal than others: Probing deeper into the linguistic disparity in the nlp world," *arXiv preprint arXiv:2210.08523*, 2022.
- [12] Y. Wijeratne and N. de Silva, "Sinhala language corpora and stopwords from a decade of sri lankan facebook," *arXiv preprint arXiv:2007.07884*, 2020.
- [13] L. Graziani, S. Melacci and M. Gori, "Jointly learning to detect emotions and predict facebook reactions," in *ICANN*, 2019.
- [14] V. Jayawickrama, G. Weeraprameshwara, N. de Silva and Y. Wijeratne, "Seeking Sinhala Sentiment: Predicting Facebook Reactions of Sinhala Posts," in *2021 21st International Conference on Advances in ICT for Emerging Regions (ICTer)*, 2021.
- [15] J. P. Singh, S. Irani, N. P. Rana and others, "Predicting the "helpfulness" of online consumer reviews," *Journal of Business Research*, vol. 70, p. 346–355, 2017.

- [16] L. Martin and P. Pu, "Prediction of helpful reviews using emotions extraction," in *AAAI*, 2014.
- [17] J. A. Caetano, H. S. Lima and others, "Using sentiment analysis to define twitter political users' classes and their homophily during the 2016 American presidential election," *Journal of internet services and applications*, vol. 9, p. 1–15, 2018.
- [18] C. Pool and M. Nissim, "Distant supervision for emotion detection using Facebook reactions," *arXiv preprint arXiv:1611.02988*, 2016.
- [19] C. Freeman, M. K. Roy, M. Fattoruso and H. Alhoori, "Shared feelings: Understanding facebook reactions to scholarly articles," in *JCDL*, 2019.
- [20] C. Strapparava and R. Mihalcea, "SemEval-2007 Task 14: Affective Text," in *Fourth International Workshop on Semantic Evaluations*, 2007.
- [21] E. C. O. Alm, *Affect in* text and speech*, University of Illinois at Urbana-Champaign, 2008.
- [22] K. R. Scherer and H. G. Wallbott, "Evidence for universality and cultural variation of differential emotion response patterning.," *Journal of personality and social psychology*, vol. 66, p. 310, 1994.
- [23] L. Senevirathne, P. Demotte, B. Karunanayake and others, "Sentiment Analysis for Sinhala Language using Deep Learning Techniques," *arXiv preprint arXiv:2011.07280*, 2020.
- [24] N. Medagoda, S. Shanmuganathan and J. Whalley, "Sentiment lexicon construction using SentiWordNet 3.0," in *ICNC*, 2015.
- [25] P. D. T. Chathuranga, S. A. S. Lorenuhewa and M. A. L. Kalyani, "Sinhala sentiment analysis using corpus based sentiment lexicon," in *ICTer*, 2019.
- [26] I. Caswell, J. Kreutzer and others, "Quality at a glance: An audit of web-crawled multilingual datasets," *arXiv preprint arXiv:2103.12028*, 2021.
- [27] M. Davis and K. Whistler, "Unicode character database," *Unicode Standard Annex*, vol. 44, p. 95170–0519, 2008.
- [28] J. Kincaid, *Facebook Activates "Like" Button; FriendFeed Tires Of Sincere Flattery*.
- [29] L. Stinson, "Facebook Reactions, the Totally Redesigned Like Button, Is Here," *Wired*.
- [30] C. Newton, *Facebook tests temporary reactions with a flower for Mother's Day*, The Verge, 2016.
- [31] A. Liptak, *Facebook brought back its flower reaction for Mother's Day*, 2017.
- [32] P. C. Kuo and others, "Facebook reaction-based emotion classifier as cue for sarcasm detection," *arXiv preprint arXiv:1805.06510*, 2018.
- [33] K. Kowsari, K. Jafari Meimandi, M. Heidarysafa and others, "Text classification algorithms: A survey," *Information*, vol. 10, p. 150, 2019.
- [34] G. Weeraprameshwara, V. Jayawickrama, N. de Silva and Y. Wijeratne, "Sentiment analysis with deep learning models: a comparative study on a decade of Sinhala language Facebook data," in *2022 The 3rd International Conference on Artificial Intelligence in Electronics Engineering*, 2022.
- [35] G. Weeraprameshwara, V. Jayawickrama, N. de Silva and Y. Wijeratne, "Sinhala Sentence Embedding: A Two-Tiered Structure for Low-Resource Languages," *arXiv preprint arXiv:2210.14472*, 2022.