



A check list of the helminths of guineafowls (Numididae) and a host list of these parasites

K. JUNKER and J. BOOMKER*

Department of Veterinary Tropical Diseases, Faculty of Veterinary Science, University of Pretoria
Private Bag X04, Onderstepoort, 0110 South Africa

ABSTRACT

JUNKER, K. & BOOMKER, J. 2007. A check list of the helminths of guineafowls (Numididae) and a host list of these parasites. *Onderstepoort Journal of Veterinary Research*, 74:315–337

Published and personal records have been compiled into a reference list of the helminth parasites of guineafowls. Where data on other avian hosts was available these have been included for completeness' sake and to give an indication of host range. The parasite list for the Helmeted guineafowls, *Numida meleagris*, includes five species of acanthocephalans, all belonging to a single genus, three trematodes belonging to three different genera, 34 cestodes representing 15 genera, and 35 nematodes belonging to 17 genera. The list for the Crested guineafowls, *Guttera edouardi*, contains a single acanthocephalan together with 10 cestode species belonging to seven genera, and three nematode species belonging to three different genera. Records for two cestode species from genera and two nematode species belonging to a single genus have been found for the guineafowl genus *Acryllium*. Of the 70 helminths listed for *N. meleagris*, 29 have been recorded from domestic chickens.

Keywords: Acanthocephalans, cestodes, check list, guineafowls, host list, nematodes, trematodes

INTRODUCTION

Guineafowls (Numididae) originated on the African continent, and with the exception of an isolated population of Helmeted guineafowls in north-west Morocco, their natural distribution is restricted to sub-Saharan Africa (Del Hoyo, Elliott & Sargatal 1994). In the wake of commercial game bird farming, but also as ornamental birds in aviculture, they have been introduced to many other parts of the world, such as France, Hungary, Italy, Greece, the United Kingdom, the USA, Australia and different regions of the former USSR (Haziev & Khan 1991). According to Belshaw (1985) guineafowls were imported

into the southern Mediterranean region several millennia before turkeys and hundreds of years before junglefowls from which today's domestic chickens were derived. Currently four genera of guineafowls are recognized, namely *Acryllium* Gray, 1840, *Age-lastes* Bonaparte, 1850, *Guttera* Wagler, 1832 and *Numida* Linnaeus, 1766 (Del Hoyo *et al.* 1994).

Many publications on the helminth fauna of guineafowls originate from northern and western Africa, where, second only to the introduced and native domestic fowls, they are farm-reared as a source of protein. The economic importance of guineafowls and domestic fowls within the poultry industry, as well as the fact that domestic fowls are kept by many private households to augment their income, necessitated a better understanding of factors, such as gastro-intestinal parasites, influencing the success-

* Author to whom correspondence is to be directed. E-mail: joop.boomker@up.ac.za

ful rearing of these birds. Consequently studies have been conducted to assess the extent to which guineafowls and domestic fowls can serve as alternative hosts for their respective helminths and possibly be adversely affected by them (Hodasi 1969, 1976; Fabiyi 1972; Fatunmbi & Olufemi 1982; Vercruyse, Harris, Bray, Nagalo, Pangui & Gibson 1985).

In southern Africa Ortlepp (1937, 1938a, b, 1963), Saayman (1966), Crowe (1977) and Verster & Ptasinska-Kloryga (1987) have published on the helminth fauna of guineafowls. No data on the helminths infecting species of the guineafowl genus *Agelastes* could be found, and we are of the opinion that the comparatively short parasite lists for the genera *Acryllium* and *Guttera* reflect a lack of data rather than an absence of parasites.

The check list herein is intended as a quick reference aid and is split into two sections. The first section contains the parasites listed under their scientific names and authorities. Synonyms are provided either as generic synonyms in the case where whole genera have been synonymized or specific synonyms. The second section lists the hosts and their synonyms alphabetically, together with their respective parasites, also in alphabetical order.

The synonymy of the acanthocephalan genus *Mediorhynchus* Van Cleave 1916 is as given by Van Cleave (1947) and Schmidt & Kuntz (1977) and specific synonymy is according to Yamaguti (1963). For an in-depth review of the involved history of this genus's nomenclature the reader is referred to Van Cleave (1947).

The taxonomy of digenetic trematodes follows Yamaguti (1958), but since the application of molecular techniques to this group has recently led to many changes, the reader is encouraged to consult the latest literature.

The classification of cestodes is based on the works of Khalil, Jones & Bray (1994). Information on generic synonyms and type species follows Khalil *et al.* (1994), while that on other species as well as the hosts and geographic distribution has mainly been derived from Yamaguti (1959), Schmidt (1986) and additional published records.

As regards nematode taxonomy, the authors have followed the CIH Keys to the nematode parasites of vertebrates (Anderson, Chabaud & Willmott, 1974–1983) and, where differences have occurred, have accepted the validity of genera and species as listed by Gibson (2005). With regard to generic synonyms, only synonyms listed in the CIH keys and by Gibson

(2005) have been included in the check list. Specific synonyms, Type species and other species, as well as much of the data on hosts and geographic distribution are according to Yamaguti (1961) and Gibson (2005). Host and geographic data have been supplemented by including additional literature references.

The families and subfamilies of cestodes and nematodes are listed according to the system of Khalil *et al.* (1994) and the CIH Keys, respectively, but genera within these families are presented in alphabetical order. Synonyms have been arranged chronologically. The hosts and geographic localities per author are listed alphabetically. If several authors made reference to the same host, the authors are listed in chronological order.

The nomenclature and taxonomy of the avian hosts mainly follows Peterson (1999) and has been supplemented by Lepage (2007). Avian orders and families, as well as the nomenclature of southern African hosts follow Hockey, Dean & Ryan (2005).

In order to avoid excessive duplication, Helmeted guineafowls are listed below as *N. meleagris* only without regards to the subspecies. A total of nine subspecies of *N. meleagris* are currently recognized (Del Hoyo *et al.* 1994, Peterson 1999). These are: *N. m. coronatus* Gurney, 1868, *N. m. galeatus* Pallas, 1767, *N. m. marungensis* Schalow, 1884, *N. m. meleagris* (Linnaeus, 1758), *N. m. mitratus* Pallas, 1767, *N. m. papillosum* Reichenow, 1894, *N. m. reichenowi* Ogilvie-Grant, 1894, *N. m. sabyi* Hartert, 1919 and *N. m. somaliensis* Neumann, 1899. Del Hoyo *et al.* (1994) give a detailed list of the geographic range of the various subspecies of Helmeted guineafowls.

In the case of the Crested guineafowls, *Guttera edouardi* (Hartlaub, 1867) we follow Hockey *et al.* (2005) and Lepage (2007). Crowe (1978, cited in Hockey *et al.* 2005) had synonymized *G. edouardi* with *Guttera pucherani* (Hartlaub, 1861), but this decision was reversed and *G. edouardi* reinstated (Little & Crowe 2000, cited in Hockey *et al.* 2005). Peterson (1999) still lists *G. edouardi* as a subspecies of *G. pucherani*.

Hosts listed in the literature as *Gallus domesticus* or *Gallus gallus domesticus* are referred to below as domestic chicken. Lepage (2007) lists domestic chicken as unconfirmed subspecies, *G. g. domesticus* (no authority given), of the Red Junglefowl, *Gallus gallus* (Linnaeus, 1758). However, this subspecies is not included in the five subspecies listed by Peterson (1999).

PARASITE/HOST CHECK LIST**PHYLUM ACANTHOCEPHALA****Class Archiacanthocephala****Order Gigantorhynchidea****Family GIGANTORHYNCHIDAE Hamann, 1892****GENUS MEDIORHYNCHUS VAN CLEAVE 1916**

Echinorhynchus Zoega in Müller, 1776, in part; *Gigantorhynchus* Hamann, 1892, in part; *Heteroplus* Kostylev, 1914; *Empodium* Travassos, 1916; *Micracanthorhynchus* Travassos, 1917; *Leipera-canthus* Bhalerao, 1937; *Disteganius* Lehmann, 1953, *nomen nudum*; *Empodisma* Yamaguti, 1963

Type species: *Mediorhynchus papillosus* Van Cleave, 1918

1. *Mediorhynchus empodium* (Skrjabin, 1913) Meyer, 1933
Ardea, *Ardeotis arabs*, *Numida meleagris*
Yamaguti (1963), Belgium, Russia
2. *Mediorhynchus gallinarum* (Bhalerao, 1937) Van Cleave, 1947
Domestic chicken
Yamaguti (1963), India, Philippines
Talbot (1971), Papua and New Guinea
3. *Mediorhynchus numidae* (Baer, 1925) Meyer, 1933
Numida meleagris
Junker & Boomker (2006), South Africa
4. *Mediorhynchus selengensis* Harris, 1973
Numida meleagris
Vercryusse et al. (1985), Burkina Faso
Schmidt & Kuntz (1977) synonymized this species with *M. gallinarum*.

5. *Mediorhynchus taeniatus* (Von Linstow, 1901) Dollfus, 1936
Empodium segmentatus De Marval, 1902
Ardeotis arabs
Dollfus (1951) in Yamaguti (1963), Mauritania
Chlamydotis undulata
Dollfus (1951) in Yamaguti (1963), Morocco
Guttera edouardi
Southwell & Lake (1939), Democratic Republic of the Congo
Numida meleagris
Von Linstow (1901), Kenya
Meyer (1932), Africa, Malawi
Southwell & Lake (1939), Democratic Republic of the Congo
Graber (1959), Chad

Fabiyi (1972), Nigeria
Hodasi (1976), Ghana
Crowe (1977), South Africa

Burhinus oedicnemus, *Chlamydotis macquenii*, *Otis tarda*

Meyer (1932), Africa, Malawi

PHYLUM PLATHYHELMINTHES**Class Trematoda****Order Digenea****Family BRACHYLAEMIDAE Joyeaux & Foley, 1930****GENUS POSTHARMOSTOMUM WITENBERG, 1923**

Type species: *Postharmostomum gallinum* (Witenberg, 1923)

1. *Postharmostomum gallinum* (Witenberg, 1923)
Crested guineafowl
Khan, Khan & Rayaz (1984), Pakistan
Domestic chicken
Yamaguti (1958), Hawaii, Japan, Russian Turkestan
Numida meleagris
Yamaguti (1958), North Africa

Family DICROCOELIIDAE Odhner, 1911**GENUS DICROCOELIUM DUJARDIN, 1845**

Type species: *Dicrocoelium lanceatum* Stiles & Hassal, 1898

1. *Dicrocoelium macrostomum* Odhner, 1911
Coturnix coturnix
Yamaguti (1958), Russia
Numida meleagris
Lesbouries (1941), Egypt
Junker & Boomker (2007b), South Africa

GENUS LUTZ TREMA TRAVASSOS, 1941

Type species: *Lutztrema olluum* (Travassos, 1917)

Numida meleagris
Hodasi (1976), Ghana

Class Cestoda**Subclass Eucestoda****Order Cyclophyllidea****Family DAVAINEIDAE Braun, 1900****Subfamily Davaineinae Braun, 1900****GENUS ABULADZUGNIA SPASSKII, 1973**

Type species: *Abuladzugnia gutterae* (Ortlepp, 1963)

1. *Abuladzugnia gutterae* (Ortlepp, 1963)
Cotugnia gutterae Ortlepp, 1963
Guttera edouardi
Ortlepp (1963), Mozambique
Numida meleagris
Junker & Boomker (2007b), South Africa

2. *Abuladzugnia transvaalensis* (Ortlepp, 1963)

Cotugnia transvaalensis Ortlepp, 1963

Numida meleagris

Ortlepp (1963), South Africa

GENUS COTUGNIA DIAMARE, 1893

Ershovitugnia, Spasskii, 1973; *Pavugnia* Spasskii, 1984; *Rostelugnia* Spasskii, 1984

Type species: *Cotugnia digonopora* (Pasquale, 1890) Diamare, 1893

1. *Cotugnia crassa* Fuhrmann, 1909

Guineafowl

Hudson (1934), East Africa

Bwangamoi (1968), Uganda

Numida meleagris

Fuhrmann (1909) in Ortlepp (1963), the White Nile

Baer (1925), Namibia

Baer (1926), East Africa, West Africa

Ortlepp (1963), Tanzania

The White Nile rises from Lake Victoria in Uganda and enters the Sudan where it joins the Blue Nile in Karthoum to form the Nile. White Nile is one of the states of Sudan.

2. *Cotugnia digonopora* (Pasquale, 1890) Diamare, 1893

Taenia digonopora Pasquale, 1890

Anser, *Columba livia*, *Gallus gallus*, *Numida meleagris*

Schmidt (1986), Africa, Burma, India, Indonesia, Philippines

Guineafowl

Baylis (1934), Uganda

3. *Cotugnia meleagridis* Joyeux, Baer & Martin, 1936

Numida meleagris

Joyeux, Baer & Martin (1936), Northern Somalia-land

Graber (1959), Chad

Fabiyi (1972), Nigeria

Hodasi (1976), Ghana

4. *Cotugnia shohoi* Sawada, 1971

Acryllium vulturinum

Schmidt (1986), Somalia

5. *Cotugnia tuliensis* Mettrick, 1963

Numida meleagris

Schmidt (1986), Zimbabwe

GENUS DAVAINEA BLANCHARD, 1891

Type species: *Davainea proglottina* (Davaine, 1860) Blanchard, 1891

1. *Davainea nana* Fuhrmann, 1912

Guttera edouardi

Ortlepp (1963), Zambia

Numida meleagris

Fuhrmann (1912), Northern Africa

Junker & Boomker (2007b), South Africa

Vanellus cinereus

Schmidt (1986), Africa, Japan

2. *Davainea paucisegmentata* Fuhrmann, 1909

Numida meleagris

Baer (1926), Sudan, West Africa

Schmidt (1986), Africa, Europe

3. *Davainea paucisegmentata* var. *dahomeensis* Joyeux & Baer, 1928

Numida meleagris

Schmidt (1986), France

4. *Davainea proglottina* (Davaine, 1860) Blanchard, 1891

Taenia proglottina Davaine, 1860; *Davainea varians* Sweet, 1910; *Davainea dubius* Meggitt, 1916

Alectoris graeca, *Bonasa umbellus*, *Gallus gallus*, *Perdix perdix*

Schmidt (1986), Cosmopolitan

Domestic chicken

Baer (1926), South Africa

Magwisha, Kassuku, Kyvsgaard & Permin (2002), Tanzania

Numida meleagris

Nfor, Ajanusi, Agbede & Esievo (1999), Nigeria

GENUS NUMIDELLA SPASSKAYA & SPASSKII, 1971

Type species: *Numidella numida* (Fuhrmann, 1912) Spasskaya & Spasskii, 1971

1. *Numidella numida* (Fuhrmann, 1912) Spasskaya & Spasskii, 1971

Davainea numida Fuhrmann, 1912; *Raillietina* (*Paroniella*) *numida* (Fuhrmann, 1912) Fuhrmann, 1920; *Raillietina* (*Paroniella*) *magninumida* Jones, 1930

Guineafowl

Baylis (1934), Uganda

Guttera, *Numida meleagris*

Schmidt (1986), Africa, Cuba, North America

Guttera

Baer (1933), Zimbabwe

Baer (1933) lists '*Guttera eduardi* Elliot' as host. None of the subspecies of *Guttera eduardi* listed in Lepage (2007) has been described by Elliot, but Lepage (2007) lists *Guttera pucherani verreauxi* (Elliot, 1870).

Meleagris gallopavo, *Numida meleagris*

Jones (1930), North America

Numida meleagris

Baer (1925), Namibia

Ortlepp (1963), South Africa

Fabiyi (1972), Nigeria

GENUS POROGYNIA RAILLIET & HENRY, 1909

Polycoelia Fuhrmann, 1907, preoccupied

Type species: *Porogynia paronai* (Moniez, 1892) Railliet & Henry, 1909

1. *Porogynia paronai* (Moniez, 1892) Railliet & Henry, 1909

Taenia paronai Moniez, 1892; *Linstowia lata* Fuhrmann, 1901;

Polycoelia lata (Fuhrmann, 1901) Fuhrmann, 1907; *Malika numida* Woodland, 1929; *Raillietina* (*Paroniella*) *woodlandi*

Baylis, 1934

- Guttera edouardi*, *Numida meleagris*, *Pternistis natalensis*
Schmidt (1986), Africa, Europe
Guineafowl
Woodland (1928), Sudan
Baylis (1934), Uganda
Guttera edouardi
Ortlepp (1963), Zambia
Numida meleagris
Baer (1925), Namibia
Baer (1926), East Africa, West Africa
Woodland (1928), Sudan
Ortlepp (1963), South Africa, Swaziland
Cruz e Silva (1971), Mozambique
Fabiyi (1972), Nigeria
- GENUS RAILLIETINA FUHRMANN, 1920**
- Kotlania* López-Neyra, 1929; *Nonarmiella* Movsesyan, 1966; *Nornarmina* Movsesyan, 1966; *Kotlanotaurus* Spasskii, 1973; *Roytmanna* Spasskii, 1973; *Skrjabinotaurus* Spasskii & Yurpalova, 1973; *Oschmarinetta* Spasskii, 1984
- Type species: *Raillietina tetragona* (Molin, 1858)
1. *Raillietina angusta* Ortlepp, 1963
Raillietina (Raillietina) angusta Ortlepp, 1963
Numida meleagris
Ortlepp (1963), South Africa
 2. *Raillietina cohni* (Baczynska, 1914) Fuhrmann, 1924
Davainea cohni Baczynska, 1914; *Raillietina (Ransomia) cohni* (Baczynska, 1914) Fuhrmann, 1920; *Raillietina (Raillietina) cohni* (Baczynska, 1914) Fuhrmann, 1924
Gallus gallus, *Numida meleagris*, *Pterocles exustus*, *Pterocles orientalis arenarius*
Schmidt (1986), Africa, Nepal
Domestic chicken
Baer (1926), East Africa
 3. *Raillietina echinobothrida* (Megnin, 1880) Fuhrmann, 1924
Taenia echinobothrida Megnin, 1880; *Taenia botrioplites* Pi-ana, 1881; *Davainea parechinobothrida* Magalhães, 1898; *Davainea penetrans* Baczynska, 1914; *Raillietina (Johnstonia) echinobothrida* (Megnin, 1880) Fuhrmann, 1920; *Raillietina (Raillietina) echinobothrida* (Megnin, 1880) Fuhrmann, 1924; *Raillietina (Fuhrmannetta) echinobothrida* (Megnin, 1880) Stiles & Orleman, 1926
Columba livia, *Gallus gallus*, *Gallus gallus bankiva*, *Meleagris gallopavo*, *Numida meleagris*, *Perdix perdix*, *Phasianus colchicus*
Schmidt (1986), Cosmopolitan
Domestic chicken
Baer (1926), West Africa
Le Roux (1926), South Africa
Joyeux *et al.* (1936), Northern Somalia
Poulsen, Permin, Hindsbo, Yelifari, Nansen & Bloch (2000), Ghana
Magwisha *et al.* (2002), Tanzania
Permin, Esmann, Hoj, Hove & Mukaratirwa (2002), Zimbabwe
 4. *Raillietina pintneri* (Klaptoz, 1906) Fuhrmann, 1924
Davainea pintneri Klaptoz, 1906; *Raillietina (Ransomia) pintneri* (Klaptoz, 1906) Fuhrmann, 1920; *Raillietina (Raillietina) pintneri* (Klaptoz, 1906) Fuhrmann 1924; *Kotlania pintneri* (Klaptoz, 1906) López-Neyra, 1931
Guttera
Baer (1933), Zimbabwe
Baer (1933) lists '*Guttera eduardi* Elliot' as host. None of the subspecies of *Guttera eduardi* listed in Lepage (2007) have been described by Elliot, but Lepage (2007) lists *Guttera pucherani verreauxi* (Elliot, 1870).
Guttera edouardi, *Numida meleagris*
Schmidt (1986), Africa
Guttera edouardi
Ortlepp (1963), Mozambique, Zambia
Numida meleagris
Baer (1925), Namibia
Baer (1926), Sudan, West Africa
Graber (1959), Chad
Ortlepp (1963) South Africa, Swaziland
Fabiyi (1972), Nigeria
 5. *Raillietina somalensis* Sawada, 1971
Raillietina (Raillietina) somalensis Sawada, 1971
Acrylum vulturinum
Schmidt (1986), Somalia
 6. *Raillietina steinhardti* Baer, 1925
Raillietina (Ransomia) steinhardti Baer, 1925
Guttera edouardi
Ortlepp (1963), Mozambique, Zambia
Numida meleagris
Yamaguti (1959), Africa
Verster & Ptasinska-Kloryga (1987), South Africa
 7. *Raillietina tetragona* (Molin, 1858) Fuhrmann, 1924
Taenia tetragona Molin, 1858; *Taenia longicollis* Molin, 1858; *Davainea tetragona* (Molin, 1858) Blanchard, 1891; *Davainea bothrioplitis* Filippi, 1892; *Raillietina (Ransomia) tetragona* (Molin, 1858) Fuhrmann, 1920; *Raillietina (Raillietina) tetragona* (Molin, 1858) Fuhrmann, 1924; *Kotlania tetragona* (Molin, 1858) López-Neyra, 1931; *Raillietina (Raillietina) galli* (Yamaguti, 1935) Sawada, 1955
Gallus gallus, *Guttera edouardi*, *Lagopus lagopus*, *Lagopus muta*, *Meleagris gallopavo*, *Numida meleagris*, *Pavo cristatus*, *Pavo muticus*
Schmidt (1986), Cosmopolitan
Domestic chicken
Baer (1926), East Africa, West Africa
Le Roux (1926), South Africa
Poulsen *et al.* (2000), Ghana

- Magwisha *et al.* (2002), Tanzania
 Permin *et al.* (2002), Zimbabwe
- Numida meleagris*
 Baer (1926), East Africa, West Africa
 Ayeni *et al.* (1983), Nigeria
 Haziev & Khan (1991), Republic of Bashkortostan
8. *Raillietina tetragonoides* (Baer, 1925) Fuhrmann, 1932
Raillietina (Ransomia) tetragonoides Baer, 1925; *Raillietina (Raillietina) tetragonoides* (Baer, 1925) Fuhrmann, 1932; *Raillietina (Raillietina) tetragona* var. *cohnii* (Baczynska, 1914) López-Neyra, 1944
- Numida meleagris*
 Baer (1925), Namibia
 Schmidt (1986), Africa
9. *Raillietina toyohashiensis* Sawada & Chikada, 1972
Numida meleagris
 Schmidt (1986), Japan (zoo)

GENUS *SKRJABINIA* FUHRMANN, 1920

Raillietina (Skrjabinia) Fuhrmann, 1920; *Brumptiella* López-Neyra, 1929; *Armacetabulum* Movsesyan, 1966; *Markewitchella* Spasskii & Spasskaya, 1972; *Davantienia* Spasskii & Spasskaya, 1976

Type species: *Skrjabinia cesticillus* (Molin, 1858) Fuhrmann, 1920

1. *Skrjabinia cesticillus* (Molin, 1858) Fuhrmann, 1920
Taenia cesticillus Molin, 1858; *Davainea cesticillus* Blanchard, 1891; *Raillietina (Raillietina) mutabilis* Rüther, 1901; *Raillietina (Skrjabinia) cesticillus* (Molin, 1858) Fuhrmann, 1920
Colinus virginianus, *Coturnix coturnix*, *Gallus gallus*, *Lagopus lagopus*, *Lagopus lagopus scotica*, *Lyrurus tetrix*, *Meleagris gallopavo*, *Numida meleagris*, *Perdix perdix*, *Phasianus colchicus*, *Tetrao urogallus*, *Tetrautes bonasia*
 Schmidt (1986), Cosmopolitan
 Domestic chicken
 Baer (1926), West Africa
 Le Roux (1926), South Africa
 Joyeux *et al.* (1936), Northern Somalia
 Poulsen *et al.* (2000), Ghana
 Magwisha *et al.* (2002), Tanzania
 Permin *et al.* (2002), Zimbabwe
- Numida meleagris*
 Nfor *et al.* (1999), Nigeria
2. *Skrjabinia deweti* Ortlepp, 1938
Numida meleagris
 Ortlepp (1938a), South Africa

Subfamily Idiogeninae Fuhrmann, 1907

GENUS *IDIOGENES* KRABBE, 1867

Ersinogenes Spasskaya, 1961; *Paraidiogenes* Movsesyan, 1971

Type species: *Idiogenes otidis* Krabbe, 1867

1. *Idiogenes* sp.
Numida meleagris
 Hodasi (1976), Ghana

Family DILEPIDIDAE Railliet & Henry, 1909

GENUS *CHOANOTAENIA* RAILLIET, 1896

Type species: *Choanotaenia infundibulum* (Bloch, 1779) Railliet, 1896

1. *Choanotaenia infundibulum* (Bloch, 1779) Railliet, 1896
Taenia infundibulum Bloch, 1779
 Domestic chicken
 Poulsen *et al.* (2000), Ghana
 Magwisha *et al.* (2002), Tanzania
Numida meleagris
 Haziev & Khan (1991), Republic of Bashkortostan
 Nfor *et al.* (1999), Nigeria

Family PARUTERINIDAE Fuhrmann, 1907

GENUS *OCTOPETALUM* BAYLIS, 1914

Type species: *Octopetalum gutterae* Baylis, 1914

1. *Octopetalum gutterae* Baylis, 1914
Ascometra gutterae (Baylis, 1914) Baer, 1955
Guttera edouardi, *Numida meleagris*
 Baer (1926), East Africa
 Baer (1955), Democratic Republic of Congo, Malawi, South Africa
 Schmidt (1986), Africa, France
 2. *Octopetalum numida* (Fuhrmann, 1909) Baylis, 1914
Rhabdometra numida Fuhrmann, 1909; *Octopetalum longicirrus* Baer, 1925; *Uncinaria sudanea* Woodland, 1928; *Ascometra numida* (Fuhrmann, 1909) Baer, 1955
 Guineafowl
 Baylis (1934), Uganda
Guttera edouardi
 Baer (1955), Sub-Saharan Africa
 Ortlepp (1963), South Africa, Zambia
- Numida meleagris*
 Baer (1925), Namibia
 Baer (1926), Sudan, West Africa
 Woodland (1928), Sudan
 Baer (1955), Sub-Saharan Africa
 Ortlepp (1963), Central Africa, North Africa, South Africa, southern Africa, Swaziland
 Fabiyi (1972), Nigeria
 Hodasi (1976), Ghana

GENUS *METROLIASTHES* RANSOM, 1900

Hexaparuterina Palacios & Barroeta, 1967

Type species: *Metroliasthes lucida* Ransom, 1900

1. *Metroliasthes lucida* Ransom, 1900
Alectoris graeca, *Alectoris rufa*, *Coturnix coturnix*, *Gallus gallus*, *Gallus gallus bankiva*, *Guttera edouardi*, *Meleagris gallopavo*, *Numida meleagris*, *Perdix perdix*
 Schmidt (1986), Africa, Australia, Europe, India, North and South America, Russia
- Numida meleagris*
 Southwell & Lake (1939), Democratic Republic of Congo

Family HYMENOLEPIDIDAE Ariola, 1899**Subfamily Hymenolepidinae Perrier, 1897****GENUS ECHINOLEPIS SPASSKII & SPASSKAYA, 1954**

Type species: *Echinolepis carioca* (Maghaläes, 1898) Spasskii & Spasskaya, 1954

1. *Echinolepis carioca* (Maghaläes, 1898) Spasskii & Spasskaya, 1954

Davainea carioca Maghaläes, 1898; *Taenia conardi* Zurn, 1898; *Hymenolepis carioca* (Maghaläes, 1898) Ransom, 1902; *Hymenolepis pullae* Cholodkovsky, 1913; *Weinlandia rustica* Meggitt, 1926; *Hymenolepis rustica* Fuhrmann, 1932; *Dicranotaenia carioca* (Maghaläes, 1898) Skrjabin & Mathevossian, 1945; *Dicranotaenia rustica* (Meggitt, 1926) Skrjabin & Mathevossian, 1945

Alectoris graeca, *Bonasa umbellus*, *Colinus virginianus*, *Coturnix coturnix*, *Gallus gallus*, *Meleagris gallopavo*

Schmidt (1986), Cosmopolitan

Domestic chicken

Le Roux (1926), South Africa

Magwisha et al. (2002), Tanzania

Numida meleagris

Baer (1926), West Africa

GENUS HYMENOLEPIS WEINLAND, 1858

Trorchis Clerc, 1903 preoccupied; *Cloacotaenia* Wolffhügel, 1938; *Amphipetrovia* Spasskii & Spasskaya, 1954; *Australolepis* Spasskii & Spasskaya, 1954; *Orlovilepis* Spasskii & Spasskaya, 1954; *Staphylepis* Spasskii & Oshmarin, 1954; *Arhynchotaenia* Saakova, 1958 nec Pagenstecher, 1877; *Schmelzia* Yamaguti, 1959; *Woodlandia* Yamaguti, 1959; *Arhynchotaeniella* Schmidt, 1986; *Cloacotaeniella* Schmidt, Bauerle & Wertheim, 1988; *Ama-zilolepis* Schmidt & Daily, 1992

Type species: *Hymenolepis diminuta* (Rudolphi, 1819) Weinland, 1858

1. *Hymenolepis cantaniana* (Polonio, 1860) Ransom, 1909

Taenia cantaniana Polonio, 1860; *Davainea oligophora* Maghaläes, 1898; *Davainea cantaniana* Railliet & Lucet, 1899; *Hymenolepis inermis* (Yoshida, 1910) Fuhrmann, 1932

Colinus virginianus, *Coturnix coturnix*, *Gallus gallus*, *Meleagris gallopavo*, *Numida meleagris*, *Pavo cristatus*, *Perdix perdix*, *Phasianus colchicus*, *Tetrao parvirostris*, *Tetrastes bonasia*, *Turnix suscitator*

Schmidt (1986), Cosmopolitan

Domestic chicken

Le Roux (1926), South Africa

Magwisha et al. (2002), Tanzania

Le Roux (1926) chose to retain the name *H. inermis* for his unarmed specimens and not to accept the synonymy of *H. inermis* and *H. cantaniana* since the latter had been described as having an armed rostellum.

Numida meleagris

Hodasi (1976), Ghana

Junker & Boomker (2007b), South Africa

GENUS HISPANOLEPIS LÓPEZ-NEYRA, 1942

Satyolepis Spasskii, 1965

Type species: *Hispanolepis villosa* (Bloch, 1782) López-Neyra, 1942

1. *Hispanolepis falsata* (Meggitt, 1927) López-Neyra, 1942

Hymenolepis falsata Meggitt, 1927.

Numida meleagris

Myers, Wolfgang & Kuntz (1960), Sudan

Chlamydotis undulata

Schmidt (1986), Egypt

2. *Hispanolepis fedtschenkoi* (Solowiow, 1911) López-Neyra, 1942

Hymenolepis fedtschenkoi Solowiow, 1911; *Hymenolepis gwilieta* Dinnik, 1938

Gallus gallus, *Lyrurus tetrix*, *Numida meleagris*, *Tetragallus himalayensis*, *Tetraogallus caucasicus*, *Tetrautes bonasia*

Schmidt (1986), Russia, Europe, Asia, Africa

3. *Hispanolepis hilmyi* (Skrjabin & Mathevossian, 1942) López-Neyra, 1942

Hymenolepis tetricis Hilmy, 1936

Numida meleagris

Schmidt (1986), Liberia

4. *Hispanolepis villosa* (Bloch, 1782) López-Neyra, 1942

Numida meleagris

Baer (1926), East Africa

GENUS ORTLEPPOLEPIS SPASSKII, 1965

Type species: *Ortleppolepis multiuncinata* (Ortlepp, 1963) Spasskii, 1965

1. *Ortleppolepis multiuncinata* (Ortlepp, 1963) Spasskii, 1965

Hispanolepis multiuncinata Ortlepp, 1963

Guttera edouardi

Ortlepp (1963), Zambia

Numida meleagris

Junker & Boomker (2007b), South Africa

PHYLUM NEMATHELMINTHES**Class Nematoda****Subclass Adenophorea****Order Enoplida****Superfamily Trichinelloidea Hall, 1916****Family TRICHURIDAE (Ransom, 1911) Railliet, 1915****Subfamily Capillariinae Railliet, 1915****GENUS AONCHOTHECA LÓPEZ-NEYRA, 1947**

Avesaonchotheca auct.; *Baruscapillaria* auct.; *Capillaria* auct.; *Pterothomix* auct.; *Skrjabinocapillaria* Skarbilovich, 1946

1. *Aonchotheca caudinflata* (Molin, 1858)

- Calodium caudinflata* Molin, 1858; *Capillaria biomei* Travassos, 1915; *Trichosoma longicollis* Rudolphi, 1819
- Chrysolophus*, *Columba*, *Coturnix*, *Gallus*, *Lagopus*, *Lyrurus*, *Otis*, *Numida meleagris*, *Passer*, *Perdix*, *Phasianus*, *Sturnus*, *Tetrao*, *Turdus*
- Yamaguti (1961), Europe, North America
- Yamaguti (1961) lists *Aonchotheca caudinflata* from *Otis* without giving the host's species name. It is therefore not clear whether *Otis* refers to the current genus *Otis*, *Ardeotis*, *Neotis* or *Chlamydota*.
- Domestic chicken*
- Magwisha et al.* (2002), Tanzania
- Numida meleagris*
- Ayeni et al.* (1983), Nigeria
- GENUS CAPILLARIA ZEDER, 1800**
- Trichosoma* Rudolphi, 1819; *Trichosomum* Creplin, 1829; *Thominx* Dujardin, 1845; *Tridentocapillaria* Barus & Sergeeva, 1990; *Aonchotheca* auct.; *Baruscapillaria* auct.; *Ptherominx* auct.; *Trichocephalus* auct.
- Type species: *Capillaria anatis* (Schrank, 1790) Travassos, 1915
1. *Capillaria anatis* (Schrank, 1790)

Trichocephalus capillaris Rudolphi, 1809

Anas, *Anser*, *Clangula*, *Lyrurus*, *Melanitta*, *Merganser*, *Perdix*, *Phasianus*

Yamaguti (1961), Europe, Sakhalin, Siberia

Domestic chicken

Magwisha et al. (2002), Tanzania

Numida meleagris

Nfor et al. (1999), Nigeria
- GENUS EUCOLEUS DUJARDIN, 1845**
- Capillaria* auct.; *Thominx* auct.; *Trichocephalus* auct.
1. *Eucoleus annulatus* (Molin, 1858)

Trichosoma annulatus Molin, 1858

Bonasa, *Chrysolophus*, *Colinus*, *Gallus*, *Lyrurus*, *Meleagris*, *Numida meleagris*, *Perdix*, *Phasianus*, *Syrmaticus*, *Tetrao*

Yamaguti (1961), Asia, Europe, North and South America

Domestic chicken

Magwisha et al. (2002), Tanzania

Numida meleagris

Fabiyi (1972), Nigeria

Hodasi (1976), Ghana

Vercruyse et al. (1985), Burkina Faso
- Subclass Secernentea**
- Order Rhabditida**
- Superfamily Rhabditoidea**
- Family STRONGYLOIDIDAE Chitwood & McIntosh, 1934**
- GENUS STRONGYLOIDES GRASSI, 1879**
1. *Strongyloides avium* Cram, 1929
- Gallus*
- Yamaguti (1961), North America, Puerto Rico
- Numida meleagris*
- Fabiyi* (1972), Nigeria
- Order Strongylida**
- Superfamily Strongyoidea**
- Family SYNGAMIDAE Leiper, 1912**
- Subfamily Syngaminae Baylis & Daubney, 1926**
- GENUS SYNGAMUS SIEBOLD, 1836**
- Cyathostoma* auct.; *Ornithogamus* Ryjikov, 1948
- Type species: *Syngamus trachea* (Montagu, 1811) Siebold, 1836
1. *Syngamus trachea* (Montagu, 1811) Siebold, 1836

Fasciola trachea Montagu, 1811; *Syngamus trachealis* Siebold, 1836; *Strongylus trachealis* Natusius, 1937 in Ortlepp (1923); *Strongylus pictus* Creplin, 1849; *Sclerostomum syngamus* Diesing, 1951 in Ortlepp (1923); *Syngamus furcatus* Theob., 1896; *Syngamus primitivus* Molin, 1861; *Syngamus sclerostomum* Molin, 1861

Galliformes, Passeriformes; rarely Anseriformes, "Ardeiformes", "Pelicaniformes", Piciformes, Otidiformes

Yamaguti (1961), Africa, Australia, Europe, India, North and South America

Domestic chicken

Magwisha et al. (2002), Tanzania

Numida meleagris

Hodasi (1976), Ghana

Nfor et al. (1999), Nigeria
- Order Ascaridida**
- Superfamily Heterakoidea**
- Family HETERAKIDAE Railliet & Henry, 1912**
- Subfamily Heterakinae Railliet & Henry, 1912**
- GENUS HETERAKIS DUJARDIN, 1845**
- Ganguleterakis* Lane, 1914; *Raillietakis* Freitas, 1956; *Inglisakis* Freitas, Vicente & Santos, 1969
- Type species: *Heterakis vesicularis* (Frölich, 1791)
1. *Heterakis vesicularis* (Frölich, 1791)

Ascaris vesicularis Frölich, 1791; *Ascaris papillosa*, Bloch, 1782, in part

Anas, *Colinus*, *Coturnix*, *Cygnus*, *Gallus*, *Lagopus*, *Meleagris*, *Numida meleagris*, *Oreortyx pictus*, *Otis*, *Pavo*, *Perdix*, *Phasianus colchicus*, *Polyplectron*, *Tetrao*

Yamaguti (1961), Africa, Europe, North America

Lophophorus, *Lophura*

Yamaguti (1961), Nepal

Yamaguti (1961) lists *Heterakis vesicularis* from *Otis* without giving the host's species name. It is therefore not clear whether *Otis* refers to the current genus *Otis*, *Ardeotis*, *Neotis* or *Chlamydota*.

 2. *Heterakis brevispiculum* Gendre, 1911

Domestic chicken, *Numida meleagris*, *Pternistis bicalcaratus*

- Yamaguti (1961), Africa, Puerto Rico, South America
Numida meleagris
 Fabiyi (1972), Nigeria
 Hodasi (1976), Ghana
3. *Heterakis dispar* (Schrank, 1790)
Ascaris dispar Schrank, 1790
Alectoris, Anas, Anser, Anser cygnoides, Branta, Beringia, Cairina, Chloephaga, Glaucidium, Numida meleagris, Strix, Surnia, Tadorna
 Yamaguti (1961), Cosmopolitan
 Domestic chicken
 Permin, Magwisha, Kassuku, Nansen, Bisgaard, Frandsen & Gibbons (1997), Tanzania
4. *Heterakis gallinarum* (Schrank, 1788)
Ascaris gallinarum Schrank, 1788; *Heterakis gallinaceum* Gmelin, 1790; *Heterakis longicaudata* Von Linstow, 1879
Acrylum, Alectoris, Anas, Anser, Bonasa, Cairina, Chrysophorus, Colinus, Corvus, Coturnix, Cupidonia, domestic chicken, Francolinus, Houbara, Lagopus, Lophophorus, Lophura, Lyrurus, Meleagris, Otis, Pavo, Pedioecetes, Perdix, Phasianus, Pterocles, Strix, Syrmaticus, Tetrao, Tragopan, Tympanuchus
 Yamaguti (1961), Cosmopolitan
 Yamaguti (1961) lists *Heterakis gallinarum* from *Otis* without giving the host's species name. It is therefore not clear whether *Otis* refers to the current genus *Otis*, *Ardeotis*, *Neotis* or *Chlamydotis*.
 Domestic chicken
 Poulsen et al. (2000), Ghana
 Magwisha et al. (2002), Tanzania
 Permin et al. (2002), Zimbabwe
- Numida meleagris*
 Ayeni et al. (1983), Nigeria
 Verster & Ptasinska-Kloryga (1987), South Africa
 Haziev & Khan (1991), Republic of Bashkortostan
 Santa Cruz, Ortiz de Rott & Resoagli (1998), Argentina
5. *Heterakis tenuicauda* Von Linstow, 1883
Alectoris graeca, Alectoris graeca saxatilis
 Yamaguti (1961), Turkestan
Acrylum vulturinum
 Canavan (1929) in Yamaguti (1961), East Africa
- Family ASCARIDIIDAE Travassos, 1919**
- GENUS *ASCARIDIA* DUJARDIN, 1845**
- Cotylascaris* Sprent, 1971
- Type species: *Ascaridia hermaphrodita* (Frölich, 1789) Railliet & Henry, 1914
1. *Ascaridia calcarata* (Gendre, 1909)
Numida meleagris
 Yamaguti (1961), Africa
 Junior synonym of *Ascaridia numidae* (Leiper, 1908) according to Sprehn (1932) in Yamaguti (1961).
2. *Ascaridia compar* (Schrank, 1790) Travassos, 1913
Ascaris compar Schrank, 1790
Alectoris, Coturnix, Gallus, Lyrurus, Numida meleagris, Oreortyx pictus, Perdix, Tetrao, Tetrastes
 Yamaguti (1961), America, Europe, India, Philippines
3. *Ascaridia galli* (Schrank, 1788) Freeborn, 1932
Ascaris galli Schrank, 1788; *Fusaria inflexa* Zeder, 1800 (Baylis 1932, cited in Yamaguti 1961); *Fusaria reflexa* Zeder, 1800, in part; *Fusaria strumosa* Zeder, 1800, in part (López-Neyra 1946, cited in Yamaguti 1961); *Heterakis brasiliensis* Magalhães, 1892 (Pinto & Lins de Almeida 1935, cited in Yamaguti 1961); *Heterakis granulosa* Von Linstow, 1906 (Baylis 1932, cited in Yamaguti 1961); *Ascaridia hamia* Lane, 1914
 Domestic chicken, guineafowl
 Yamaguti (1961), Europe, Japan
Alectoris, Bonasa, Cairina, Colinus, duck, Ithaginis, Lyrurus, Meleagris, Numida meleagris, Perdix, Phasianus, Streptopelia, Tetrao, Tympanuchus
 Yamaguti (1961), Cosmopolitan
 Domestic chicken
 Poulsen et al. (2000), Ghana
 Magwisha et al. (2002), Tanzania
 Permin et al. (2002), Zimbabwe
- Numida meleagris*
 Ayeni et al. (1983), Nigeria
 Verster & Ptasinska-Kloryga (1987), South Africa
 Haziev & Khan (1991), Republic of Bashkortostan
4. *Ascaridia lineata* (Schrank, 1866)
Ascaris lineata Schrank, 1866
Alectoris, Anas, Anser, Bonasa, duck, Francolinus, Gallus, goose, Meleagris, Meleagris ocellata, Numida, partridge, Phasianus, pigeon, Tympanuchus
 Yamaguti (1961), Africa, Brazil, China, Cuba, Europe, Formosa, India, Malaya, North America, Philippines, Puerto Rico, Turkestan
 Domestic chicken
 Le Roux (1926), South Africa
5. *Ascaridia numidae* (Leiper, 1908) Travassos, 1913
Heterakis numidae Leiper, 1908
Alectoris, Gutera
 Yamaguti (1961), Africa
 Guineafowl
 Yamaguti (1961), Puerto Rico
 Bwangamoi (1968), Uganda
- Numida meleagris*
 Gruber (1959), Chad
 Yamaguti (1961), Africa, the White Nile
 Myers et al. (1960), Sudan
 Fabiyi (1972), Nigeria
 Hodasi (1976), Ghana
 Vercruyse et al. (1985), Burkina Faso
 Verster & Ptasinska-Kloryga (1987), South Africa
 The White Nile rises from Lake Victoria in Uganda and enters the Sudan where it joins the Blue Nile in Karthoum to form the Nile. White Nile is one of the states of Sudan.

6. *Ascaridia perspicillum* (Rudolphi, 1803)
Ascaris perspicillum Rudolphi, 1803
Anas acuta, domestic chicken, *Meleagris gallopavo*,
Numida meleagris, *Pavo cristatus*, *Tetrao urogallus*,
Tetrastes bonasia rupestris, *Turdus viscivorus*
Yamaguti (1961), Europe, Hawaii, India, Indonesia,
Japan, Malaya
- Superfamily Subuluroidea**
- Family SUBULURIDAE (Travassos, 1914) Yorke & Maplestorne, 1926**
- Subfamily Subulurinae Travassos, 1914**
- GENUS *SUBULURA* MOLIN, 1860**
- Allodapa* auct.
Type species: *Subulura acutissima* Molin, 1860
1. *Subulura acuticauda* (Von Linstow, 1901) Railliet & Henry, 1914
Oxysoma acuticauda Von Linstow, 1901; *Heterakis acuticauda* (Von Linstow, 1901) Von Linstow, 1909
Numida meleagris
Von Linstow (1901), Kenya
Yamaguti (1961), Africa
 2. *Subulura brumpti* (Lopez-Neyra, 1922)
Allodapa brumpti Lopez-Neyra, 1922
Alectoris graeca, *Anas*, *Colinus virginianus texanus*, domestic chicken, *Meleagris gallopavo*, *Numida*, *Perdix perdix*, *Streptopelia orientalis*
Yamaguti (1961), Europe, Palestine, Cyprus, Cuba, Puerto Rico, Panama, North America, Africa, China
Domestic chicken
Hodasi (1969), Ghana
Mukaratiwa, Hove, Esmann, Hoj, Permin & Nansen (2001), Zimbabwe
Numida meleagris
Graber (1959), Chad
Hodasi (1976), Ghana
Nfor et al. (1999), Nigeria
 3. *Subulura dentigera* Ortlepp, 1937
Numida meleagris
Ortlepp (1937), South Africa
 4. *Subulura differens* (Sonsino, 1890)
Heterakis differens Sonsino, 1890
Alectoris graeca, *Centropus phasianus*, domestic chicken, *Euplectes orix*, *Numida meleagris*, *Perdix perdix canescens*, *Pternistis bicalcaratus*
Yamaguti (1961), Cosmopolitan
 5. *Subulura suctoria* (Molin, 1860)
Heterakis suctoria Molin, 1860; *Ascaris forcipata* Rudolphi, 1819, in part
Caprimulgus, *Podager*, *Nyctibius*
Yamaguti (1961), Brazil
Burhinus, *Coturnix*, *Numida*, *Pternistis*
Yamaguti (1961), South Africa (Transvaal)
- Coturnix coturnix*, *Lagopus lagopus*, *Phasianus colchicus*, *Phasianus colchicus mongolicus*, *Phasianus colchicus principalis*
Yamaguti (1961), Russia, Turkestan
Domestic chicken
Permin et al. (1997), Tanzania
Permin et al. (2002), Zimbabwe
- Guttera edouardi*
Junker & Boomker (2007b), South Africa
- Numida meleagris*
Ortlepp (1937), South Africa
Fabiyi (1972), Nigeria
Vercruyse et al. (1985), Burkina Faso
6. *Subulura strongylina* (Rudolphi, 1819)
Ascaris strongylina Rudolphi, 1819; *Strongylus spiculatus* Cobbold, 1861 (Boughton 1939, cited in Yamaguti 1961)
Bonasa, *Bucco*, *Callipepla*, *Caprimulgus*, *Chelidoptera*, *Colinus*, *Cuculus*, *Gallus*, *Malocoptila*, *Monasa*, *Nonnula*, *Numida meleagris*, *Odontophorus*, *Perdix*, *Podager*, *Tetrao*, *Tympanuchus*
Yamaguti (1961), North America, Puerto Rico
Crypturellus, *Odontophorus capueira*, *Tinamus*
Yamaguti (1961), Brazil
Domestic chicken
Permin et al. (1997), Tanzania
Poulsen et al. (2000), Ghana
- Order Spirurida Diesing, 1861**
- Superfamily Thelazioidea**
- Family THELAZIIDAE Skrjabin, 1915**
- GENUS *OXYSPIRURA* DRASCHE IN STOSSICH, 1897**
- Cramispirura* Skrjabin, 1931
Type species: *Oxyspirura cephaloptera* (Molin, 1860)
1. *Oxyspirura mansoni* (Cobbond, 1879)
Filaria mansoni Cobbond, 1879; *Spiroptera emmerezii* Emmeréz & Mégnin, 1901 (Marotel & Carougeau 1902, cited in Yamaguti 1961)
Domestic chicken, *Gallus gallus*, *Meleagris gallopavo*, *Pavo cristatus*
Yamaguti (1961), Atlantic and Pacific islands, Australia, Democratic Republic of Congo, Formosa, India, Japan, North America
Numida meleagris
Hodasi (1976), Ghana
- Superfamily Spiruroidea**
- Family GONGYLONEMATIDAE (Hall, 1916, subfam.) Sobolev, 1949**
- GENUS *GONGYLONEMA* MOLIN, 1857**
- Type species: *Gongylonema musculi* (Rudolphi, 1819) Neumann, 1894
1. *Gongylonema ingluvicola* Ransom, 1904
Gongylonema sumani Bahlerao, 1933 (Baylis 1939, cited in Yamaguti 1961)

- Gallus, Meleagris*, pheasants
 Yamaguti (1961), Cosmopolitan
- Domestic chicken*
 Poulsen *et al.* (2000), Ghana
 Magwisha *et al.* (2002), Tanzania
 Permin *et al.* (2002), Zimbabwe
- Numida meleagris*
 Nfor *et al.* (1999), Nigeria
2. *Gongylonema congolense* Fain, 1955
Cairina moschata
 Fain (1955), Democratic Republic of the Congo
- Gallus*
 Fain (1955), Burundi, Democratic Republic of the Congo, Rwanda
- Guttera edouardi*
 Junker & Boomker (2007b), South Africa
- Numida meleagris*
 Fain (1955), Burundi, Democratic Republic of the Congo, Rwanda
 Fabiyi (1972), Nigeria
 Gruber (1976), Ethiopia
 Hodasi (1976), Ghana
 Vercruyse *et al.* (1985), Burkina Faso
 Junker & Boomker (2007b), South Africa
- Scleroptila levaillantii*
 Fain (1955), Rwanda
3. *Gongylonema sumani* Bhalerao, 1933
Gallus gallus
 Bhalerao (1933), India
- Numida meleagris*
 Fain & Thienpont (1958), Burundi
- Superfamily Habronematoidea**
- Family HABRONEMATIDAE (Chitwood & Wehr, 1932)**
Ivaschkin, 1961
- Subfamily Habronematinae Chitwood & Wehr, 1932**
- GENUS CYRNEA SEURAT, 1914**
Seurocyrnea Strand, 1929; *Skryabinochona* Guschkanskaja, 1931;
Chenspirura Hsü, 1957 nec Kou, 1958
- Type species: *Cyrnea eurycerca* Seurat, 1914
1. *Cyrnea eurycerca* Seurat, 1914
Alectoris, Coturnix, Francolinus, Phasianus, Merops
 Yamaguti (1961), Africa, Europe
 2. *Cyrnea parroti* Seurat, 1917
Cyrnea seurati Lopéz-Neyra, 1918; *Habronema numidae* Ortlepp, 1938; *Cyrnea numidae* (Ortlepp, 1938)
Alectoris barbara
 Yamaguti (1961), Algeria
 3. *Cyrnea parroti* Seurat, 1917
Cyrnea numidae Ortlepp (1938b), Malawi, South Africa, Swaziland
 Fabiyi (1972), Nigeria
 Vercruyse *et al.* (1985), Burkina Faso
- Chabaud (1958) divided the genus *Cyrnea* into the two subgenera *Procyrnea* Chabaud, 1958 and *Cyrnea* Chabaud, 1958, subsequently raising them to genus level (Chabaud, 1975). He also synonymized *Cyrnea (Cyrnea) numidae* Ortlepp, 1938 and *Cyrnea (Cyrnea) seurati* Lopéz-Neyra, 1918 with *Cyrnea (Cyrnea) parroti* Seurat, 1917. Our specimens of *Cyrnea parroti* collected from *Numida meleagris* in South Africa comply with Ortlepp's (1938b) description of *C. numidae*, but the arrangement of cephalic structures in apical view is that of *C. parroti*. Not having examined Ortlepp's (1938b) specimens we adopt the classification of Chabaud (1958) and list Ortlepp's specimens as *C. parroti*.
- GENUS SICARIUS LI, 1934**
Type species: *Sicarius dipterum* (Popova, 1927) Li, 1934
1. *Sicarius caudatus* Quentin & Wertheim, 1975
Numida meleagris
 Junker & Boomker (2007b), South Africa
 2. *Sicarius renatae* Cancrini, Balbo & Iori, 1991
Acryllium vulturinum
 Cancrini, Balbo & Iori (1991), Somalia
- Subfamily Histiocephalinae Gendre, 1922**
- GENUS HADJELIA SEURAT, 1916**
Gilsonia Gedoelst, 1919; *Stellobronema* Guschanskaja, 1937;
Sobolevcephalus Parukhin, 1964
1. *Hadjelia truncata* (Creplin, 1825)
Spiroptera truncata Creplin, 1825; *Hadjelia inermis* (Gedoelst, 1919)
Aceros corrugatus
 Ortlepp (1964), Malucca Islands, Indonesia
 2. *Columba livia*
 Tadros & Iskander (1975), Egypt
 3. *Guttera edouardi*, *Numida meleagris*
 Junker & Boomker (2007b), South Africa
 4. *Tockus erythrorhynchus*, *Tockus leucomelas*
 Ortlepp (1964), South Africa
 5. *Tockus fasciatus semifasciatus*
 Cram (1927, cited in Ortlepp 1964), Africa

Coracias benghalensis, *Halcyon smyrnensis*, *Upupa epops*

Singh (1949), India

Chabaud & Campana (1950) synonymized *H. inermis* with *H. truncata*. Ortlepp (1964) did not follow this and recorded his specimens as *H. inermis*. Tadros & Iskander (1975) synonymized *H. inermis*, *H. parva* and *H. Ihuillieri* with *H. truncata*, designating *H. truncata* as the new type species of the genus.

Family TETRAMERIDAE Travassos, 1914

Subfamily Tetramerinae Railliet, 1915

GENUS *TETRAMERES* CREPLIN, 1846

Tropisurus Diesing, 1835; *Tropidurus* Wiegmann, 1835, preoccupied; *Gynaecophila* Gubanov, 1950; *Petrowimeres* Tschertkova, 1953; *Microtetramerces* auct.

Type species: *Tetramerces paradoxa* (Diesing, 1835)

1. *Tetramerces fissispina* Diesing, 1861

Acanthophorus horridus Von Linstow, 1876; *Acanthophorus tenuis* Von Linstow, 1876; *Filaria pulicis* Von Linstow, 1894
Alectoris, *Anas acuta*, *Anas clypeata*, *Anas platyrhynchos*, *Anas querquedula*, *Aythya ferina*, *Bucephala clangula*, *Columba livia*, *Cygnus melanocoryphus*, *Fulica atra*, *Gallus*, *Melanitta fusca*, *Meleagris*, *Meleagris gallopavo*, *Mergus merganser*, *Nycticorax nycticorax*, *Perdix*, *Somateria mollissima*, *Tachybaptus ruficollis* Yamaguti (1961), Africa, Canton, Europe, Formosa, Guam, India, Malaya, North and South America, Philippines, Russian Turkestan, Siberia, Turkey

Domestic chicken

Le Roux (1926), South Africa
Poulsen et al. (2000), Ghana
Magwisha et al. (2002), Tanzania

Guineafowl

Le Roux (1926), South Africa

Numida meleagris

Fabiyi (1972), Nigeria
Hodasi (1976), Ghana
Vercruyse et al. (1985), Burkina Faso

2. *Tetramerces numida* Junker & Boomker 2007

Numida meleagris

Junker & Boomker (2007a), South Africa
Chabaud (1975) divided the genus *Tetramerces* into the two subgenera *Tetramerces* (*Tetramerces*) Creplin, 1846 and *Tetramerces* (*Microtetramerces*) Travassos, 1915. We adopt the view of Anderson (1992) and consider the two as valid genera.

Superfamily Acuarioidea

Family Acuariidae (Railliet, Henry & Sisoff, 1912, subfam.)

Subfamily Acuariinae Railliet, Henry & Sisoff, 1912

GENUS *ACUARIA* BREMSE, 1811

Cheilospirura auct.

Type species: *Acuaria anthuris* (Rudolphi, 1819)

1. *Acuaria hamulosa* (Diesing, 1851)

Spiroptera hamulosa Diesing, 1851; *Cheilospirura hamulosa* Diesing, 1861; *Spiroptera perforans* Centosci, 1911

Coturnix coturnix, *Gallus gallus*, *Meleagris*, pheasant Yamaguti (1961), Cosmopolitan

Domestic chicken

Le Roux (1926), South Africa
Poulsen et al. (2000), Ghana
Magwisha et al. (2002), Tanzania

Numida meleagris

Fabiyi (1972), Nigeria
Hodasi (1976), Ghana

GENUS *SYNHIMANTUS* RAILLIET, HENRY & SISOFF, 1912

Type species: *Synhimantus laticeps* (Rudolphi, 1819)

1. *Synhimantus spiralis* (Linstow, 1883)

Dispharagus spiralis Linstow, 1883

Accipiter, *Alectoris*, *Bonasa*, *Ciconia*, *Colinus*, *Columba*, *Coracias*, *Corvus*, *Gallus*, *Meleagris*, *Metopidius*, *Numida meleagris*, *Passer*, *Perdix*, *Phasianus*, *Quiscalus*, *Turdus*, *Turdus migratorius* Yamaguti (1961), Cosmopolitan

Numida meleagris

Fabiyi (1972), Nigeria
Hodasi (1976), Ghana
Vercruyse et al. (1985), Burkina Faso

GENUS *DISPHARYNX* RAILLIET, HENRY & SISOFF, 1912

Type species: *Dispharynx nasuta* (Rudolphi, 1819)

1. *Dispharynx nasuta* (Rudolphi, 1819)

Spiroptera nasuta Rudolphi, 1819

Passer domesticus

Yamaguti (1961), Europe

Gallus gallus

Yamaguti (1961), Africa, America, Australia, Ceylon, Cuba, Formosa

Domestic chicken, turkeys

Gibbons, Jones & Khalil (1996), no geographic data given

Numida meleagris

Verster & Ptasinska-Kloryga (1987), South Africa

HOST/PARASITE CHECK LIST

Order Tinamiformes

Family Tinamidae (Tinamous)

GENUS *TINAMUS* HERMANN, 1783

Subulura strongylina

GENUS *CRYPTURELLUS* BRABOURNE & CHUBB, 1914

Crypturus

Subulura strongylina

Order Galliformes

Domestic chicken

Mediorhynchus gallinarum
Postharmostomum gallinum
Choanotaenia infundibulum
Davainea proglottina
Echinolepis carioca
Hymenolepis cantaniana
Raillietina cohni
Raillietina echinobothrida
Raillietina tetragona
Skrabinia cesticillus
Acuaria hamulosa
Aonchotheca caudinflata
Ascaridia galli
Ascaridia lineata
Ascaridia perspicillum
Capillaria anatis
Dispharynx nasuta
Eucoleus annulatus
Gongylonema ingluvicola
Heterakis brevispiculum
Heterakis dispar
Heterakis gallinarum
Oxyspirura mansoni
Subulura brumpti
Subulura differens
Subululra strongylina
Subulura suctoria
Syngamus trachea
Tetramerites fissispina

Gallinaceous birds, galliformes

Mediorhynchus gallinarum
Syngamus trachea

Family Numididae (Guineafowls)

Crested guineafowl

Postharmostomum gallinum

Guineafowl

Cotugnia crassa
Cotugnia digonopora
Numidella numida
Octopetalum numida
Porogynia paronai
Ascaridia galli
Ascaridia numidae
Tetramerites fissispina

GENUS NUMIDA LINNAEUS, 1766

1. *Numida meleagris* (Linnaeus, 1758) (Helmeted Guineafowl)

Phasianus meleagris
Numida meleagris galeatus Pallas, 1767
Numida galeata
Numida meleagris meleagris (Linnaeus, 1758)
Numida ptilorhyncha

Numida meleagris mitratus Pallas, 1767
Numida mitrata
Numida meleagris marungensis Schalow, 1884
Numida frommi, *Numida marungensis*, *Numida meleagris bодalyae*, *Numida meleagris frommi*, *Numida meleagris maxima*, *Numida meleagris rikwae*, *Numida mitrata frommi*, *Numida mitrata maximia*, *Numida mitrata rikwae*, *Numida rikwae*
Mediorhynchus empodium
Mediorhynchus gallinarum
Mediorhynchus numidae
Mediorhynchus selengensis
Mediorhynchus taeniatus
Dicrocoelium macrostomum
Lutztrema sp.
Postharmostomum gallinum
Abuladzugnia guttata
Abuladzugnia transvaalensis
Choanotaenia infundibulum
Cotugnia crassa
Cotugnia digonopora
Cotugnia meleagridis
Cotugnia tuliensis
Davainea nana
Davainea paucisegmentata
Davainea paucisegmentata var. *dahomeensis*
Davainea proglottina
Echinolepis carioca
Hispanolepis falsata
Hispanolepis fedtschenkoi
Hispanolepis hilmyi
Hispanolepis villosa
Hymenolepis cantaniana
Idiogenes sp.
Metroliasthes lucida
Numidella numida
Octopetalum guttata
Octopetalum numida
Orteppolepis multiuncinata
Porogynia paronai
Raillietina angusta
Raillietina cohni
Raillietina echinobothrida
Raillietina pintneri
Raillietina steinhardtii
Raillietina tetragona
Raillietina tetragonoides
Raillietina toyohashiensis
Skrabinia cesticillus
Skrabinia deweti
Acuaria hamulosa
Ascaridia calcarata
Ascaridia compar
Ascaridia galli
Ascaridia lineata
Ascaridia numidae
Ascaridia perspicillum
Aonchotheca caudinflata
Capillaria anatis
Cyrnea eurycerca

Cyrnea parroti
Eucoleus annulatus
Gongylonema congolense
Gongylonema ingluvicolia
Gongylonema sumani
Hadjelia truncata
Heterakis brevispiculum
Heterakis dispar
Heterakis gallinarum
Heterakis vesicularis
Oxyspirura mansonii
Sicarius caudatus
Sicarius renatae
Subulura acuticauda
Subulura brumpti
Subulura dentigera
Subulura differens
Subulura strongylina
Subulura suctoria
Strongyloides avium
Syngamus trachea
Dispharynx nasuta
Synhimantus spiralis
Tetramerites fissispina
Tetramerites numida

GENUS: GUTTERA WAGLER, 1832

Numidella numida
Raillietina pintneri
Ascaridia numidae

1. *Guttera edouardi* (Hartlaub, 1867) (Crested Guineafowl)
Numida edouardi (Hartlaub, 1867); *Guttera pucherani edouardi* (Hartlaub, 1867)
Mediorhynchus taeniatus
Abuladzugnia gutterae
Davainea nana
Metroliasthes lucida
Octopetalum gutterae
Octopetalum numida
Ortleppolepis multiuncinata
Porogynia paronai
Raillietina pintneri
Raillietina steinhardtii
Raillietina tetragona
Gongylonema congolense
Hadjelia truncata
Subulura suctoria

GENUS: ACRYLLIUM GRAY, 1840

Heterakis gallinarum

1. *Acryllium vulturinum* Gray, 1840 (Vulturine Guineafowl)
Cotugnia shohoi
Raillietina somalensis
Heterakis tenuicauda
Sicarius renatae

Family ODONTOPHORIDAE (New World quails)

GENUS OREORTYX BAIRD, 1858

Ortyx in Yamaguti (1961)

1. *Oreortyx pictus* (Douglas, 1829) (Mountain Quail)
Ortyx picta
Ascaridia compar
Heterakis vesicularis

GENUS CALLIPEPLA WAGLER, 1832

Lophortyx
Subulura strongylina

GENUS COLINUS GOLDFUSS, 1820

Ascaridia galli
Eucoleus annulatus
Heterakis vesicularis
Heterakis gallinarum
Subulura strongylina
Synhimantus spiralis

1. *Colinus virginianus* (Linnaeus, 1758) (Northern Bobwhite)
Tetrao virginianus
Echinolepis carioca
Hymenolepis cantaniana
Skrjabinia cesticillus

- 1a. *Colinus virginianus texanus* Lawrence, 1853
Subulura brumpti

GENUS ODONTOPHORUS VIEILLOT, 1816

Subulura strongylina

1. *Odontophorus capueira* (Spix, 1825) (Spot-winged Wood-quail)
Perdix capueira
Subulura strongylina

Family PHASIANIDAE (Partridges, francolins, spurfowls, pheasants, etc.)

Partridge
Ascaridia lineata

Pheasant
Acuaria hamulosa
Gongylonema ingluvicolia

Turkey
Dispharynx nasuta

GENUS MELEAGRIS LINNAEUS, 1758

Acuaria hamulosa
Ascaridia galli
Ascaridia lineata
Eucoleus annulatus
Gongylonema ingluvicolia
Heterakis vesicularis
Heterakis gallinarum
Synhimantus spiralis

- Tetrameres fissispina*
1. *Meleagris gallopavo* Linnaeus, 1758 (Wild Turkey, Common Turkey)
Echinolepis carioca
Hymenolepis cantaniana
Metroliasthes lucida
Numidella numida
Raillietina echinobothrida
Raillietina tetragona
Skrjabinia cesticillus
Ascaridia perspicillum
Oxyspirura mansoni
Subulura brumpti
Tetrameres fissispina
 2. *Meleagris ocellata* Cuvier, 1820 (Ocellated Turkey)
Agriocharis ocellata
Ascaridia galli
- GENUS BONASA STEPHENS, 1819**
- Ascaridia galli*
Ascaridia lineata
Eucoleus annulatus
Heterakis gallinarum
Subulura strongylina
Synhimantus spiralis
1. *Bonasa umbellus* (Linnaeus, 1766) (Ruffed Grouse)
Tetrao umbellus
Davainea proglottina
Echinolepis carioca
- GENUS TETRASTES KEYSERLING & BLASIUS, 1840**
- Ascaridia compar*
1. *Tetrastes bonasia* (Linnaeus, 1758) (Hazel Grouse)
Bonasa bonasia, *Bonasia bonasia*, *Tetrao bonasia*
Hispanolepis fedtschenkoi
Hymenolepis cantaniana
Skrjabinia cesticillus
 - 1a. *Tetrastes bonasia rupestris* (Brehm, 1831)
Ascaridia perspicillum
- GENUS TETRAO LINNAEUS, 1758**
- Aonchotheca caudinflata*
Ascaridia compar
Ascaridia galli
Eucoleus annulatus
Heterakis vesicularis
Heterakis gallinarum
Subulura strongylina
1. *Tetrao urogallus* Linnaeus, 1758 (Western Capercaille)
Tetrao major
Skrjabinia cesticillus
Ascaridia perspicillum
 2. *Tetrao parvirostris* Bonaparte, 1856 (Black-billed Capercaille)
- Tetrao urogalloides*
Hymenolepis cantaniana
- GENUS LYRURUS SWAINSON, 1832**
- Aonchotheca caudinflata*
Ascaridia compar
Ascaridia galli
Capillaria anatis
Eucoleus annulatus
Heterakis gallinarum
1. *Lyrurus tetrix* (Linnaeus, 1758) (Black Grouse)
Tetrao tetrix
Hispanolepis fedtschenkoi
Skrjabinia cesticillus
- GENUS TYMPANUCHUS GLOGER, 1841**
- Cupidonia*
Ascaridia lineata
Heterakis gallinarum
1. *Tympanuchus phasianellus* (Linnaeus, 1758) (Sharp-tailed Grouse)
Pediocetes phasianellus (Linnaeus, 1758), *Tetrao phasianellus*
Ascaridia galli
Ascaridia lineata
Heterakis gallinarum
Subulura strongylina
- GENUS LAGOPUS BRISSON, 1760**
- Aonchotheca caudinflata*
Heterakis gallinarum
Heterakis vesicularis
1. *Lagopus lagopus* (Linnaeus, 1758) (Willow Ptarmigan)
Tetrao lagopus
Raillietina tetragona
Skrjabinia cesticillus
Subulura suctoria
 - 1a. *Lagopus lagopus scotica* (Latham, 1787)
Lagopus scotica
Skrjabinia cesticillus
 2. *Lagopus muta* (Montin, 1781) (Rock Ptarmigan)
Raillietina tetragona
- GENUS TETRAGALLUS GRAY, 1832**
1. *Tetraogallus caucasicus* (Pallas, 1811) (Caucasian Snowcock)
Tetrao caucasica
Hispanolepis fedtschenkoi
 2. *Tetraogallus himalayensis* Gray, 1843 (Himalayan Snowcock)
Megaloperdix nigelli
Hispanolepis fedtschenkoi
- GENUS ALECTORIS KAUP, 1829**
- Caccabis* in Yamaguti (1961)

-
- | | |
|---|---|
| <i>Ascaridia compar</i>
<i>Ascaridia galli</i>
<i>Ascaridia numidae</i>
<i>Cyrnea eurycerca</i>
<i>Heterakis dispar</i>
<i>Heterakis gallinarum</i>
<i>Synhimantus spiralis</i>
<i>Tetrameres fissispina</i>

1. <i>Alectoris barbara</i> (Bonnaterre, 1792) (Barbary Partridge)
<i>Caccabis petrosa, Perdix barbara</i>
<i>Cyrnea parroti</i>

2. <i>Alectoris graeca</i> (Meisner, 1804) (Rock Partridge)
<i>Perdix graeca</i>
<i>Davainea proglottina</i>
<i>Echinolepis carioca</i>
<i>Metroliasthes lucida</i>
<i>Heterakis tenuicauda</i>
<i>Subulura brumpti</i>
<i>Subulura differens</i>

2a. <i>Alectoris graeca saxatilis</i> (Bechstein, 1805)
<i>Caccabis saxatilis chukar</i>
<i>Heterakis tenuicauda</i>

Lepage (2007) states that the original <i>Alectoris graeca</i> has been split into four species, namely <i>Alectoris graeca</i> , <i>Alectoris chukar</i> (Gray, 1830), <i>Alectoris philbyi</i> Lowe, 1934 and <i>Alectoris magna</i> (Prjevalski, 1876).

3. <i>Alectoris rufa</i> (Linnaeus, 1758) (Red-legged Partridge)
<i>Caccabis rufa, Coturnix rufa, Tetrao rufus</i>
<i>Metroliasthes lucida</i>
<i>Cyrnea eurycerca</i>
<i>Cyrnea parroti</i> | GENUS PERDIX BRISSON, 1760
<i>Aonchotheca caudinflata</i>
<i>Ascaridia compar</i>
<i>Ascaridia galli</i>
<i>Capillaria anatis</i>
<i>Eucoleus annulatus</i>
<i>Heterakis vesicularis</i>
<i>Heterakis gallinarum</i>
<i>Subulura strongylina</i>
<i>Synhimantus spiralis</i>
<i>Tetrameres fissispina</i>

1. <i>Perdix perdix</i> (Linnaeus, 1758) (Grey Partridge)
<i>Tetrao perdix</i>
<i>Davainea proglottina</i>
<i>Hymenolepis cantaniana</i>
<i>Metroliasthes lucida</i>
<i>Raillietina echinobothrida</i>
<i>Skrjabinia cesticillus</i>
<i>Subulura brumpti</i>

1a. <i>Perdix perdix canescens</i> Buturlin, 1906
<i>Subulura differens</i> |
|---|---|
-
- | | |
|--|---|
| GENUS COTURNIX BONNATERRE, 1791
<i>Aonchotheca caudinflata</i>
<i>Ascaridia compar</i>
<i>Cymea eurycerca</i>
<i>Heterakis gallinarum</i>
<i>Heterakis vesicularis</i>
<i>Subulura suctoria</i>

1. <i>Coturnix coturnix</i> (Linnaeus, 1758) (Common Quail)
<i>Tetrao coturnix</i>
<i>Dicrocoelium macrostomum</i>
<i>Echinolepis carioca</i>
<i>Hymenolepis cantaniana</i>
<i>Metroliasthes lucida</i>
<i>Skrjabinia cesticillus</i>
<i>Acuaria hamulosa</i>
<i>Subulura suctoria</i> | GENUS ITHAGINIS WAGLER, 1832
<i>Ascaridia galli</i> |
|--|---|
-
- | | |
|--|--|
| GENUS TRAGOPAN CUVIER, 1829
<i>Cerornis</i>
<i>Heterakis gallinarum</i> | GENUS LOPHOPHORUS TEMMINCK, 1813
<i>Heterakis gallinarum</i>
<i>Heterakis vesicularis</i> |
|--|--|
-
- | |
|--|
| GENUS GALLUS BRISSON, 1760
<i>Aonchotheca caudinflata</i>
<i>Ascaridia compar</i>
<i>Ascaridia lineata</i>
<i>Eucoleus annulatus</i>
<i>Gongylonema congolense</i> |
|--|

<i>Gongylonema ingluvicolus</i>	<i>Skrjabinia cesticillus</i>
<i>Heterakis vesicularis</i>	<i>Heterakis vesicularis</i>
<i>Strongyloides avium</i>	<i>Subulura suctoria</i>
<i>Subulura strongylina</i>	1a. <i>Phasianus colchicus mongolicus</i> Brandt, 1844 <i>Phasianus mongolicus turkestanicus</i> <i>Subulura suctoria</i>
<i>Synhimantus spiralis</i>	1b. <i>Phasianus colchicus principalis</i> Solater, 1885 <i>Phasianus principalis</i> <i>Subulura suctoria</i>
1. <i>Gallus gallus</i> (Linnaeus, 1758) (Red Junglefowl)	GENUS CHRYSOLOPHUS GRAY, 1834
<i>Gallus ferrugineus</i> , <i>Phasianus gallus</i>	<i>Thaumalea</i>
<i>Davainea proglottina</i>	<i>Aonchotheca caudinflata</i>
<i>Echinolepis carioca</i>	<i>Eucoleus annulatus</i>
<i>Hispanolepis fedtschenkoi</i>	<i>Heterakis gallinarum</i>
<i>Hymenolepis cantaniana</i>	GENUS POLYPLECTRON TEMMINCK, 1807
<i>Metroliasthes lucida</i>	<i>Heterakis vesicularis</i>
<i>Raillietina cohni</i>	GENUS PAVO LINNAEUS, 1758
<i>Raillietina echinobothrida</i>	<i>Heterakis gallinarum</i>
<i>Raillietina tetragona</i>	<i>Heterakis vesicularis</i>
<i>Skrjabinia cesticillus</i>	1. <i>Pavo cristatus</i> Linnaeus, 1758 (Indian Peafowl) <i>Hymenolepis cantaniana</i> <i>Raillietina tetragona</i> <i>Ascaridia perspicillum</i> <i>Oxyspirura mansoni</i>
<i>Acuaria hamulosa</i>	2. <i>Pavo muticus</i> Linnaeus, 1766 (Green Peafowl) <i>Raillietina tetragona</i>
<i>Dispharynx nasuta</i>	Order Anseriformes
<i>Gongylonema sumani</i>	<i>Syngamus trachea</i>
<i>Oxyspirura mansoni</i>	Family ANATIDAE (Ducks, geese and swans)
1a. <i>Gallus gallus bankiva</i> Temminck, 1813	Duck
<i>Metroliasthes lucida</i>	<i>Ascaridia galli</i>
<i>Raillietina echinobothrida</i>	<i>Ascaridia lineata</i>
GENUS LOPHURA FLEMING, 1822	Goose
<i>Gennaeus</i>	<i>Ascaridia lineata</i>
<i>Heterakis gallinarum</i>	GENUS ANSER BRISSON, 1760
1. <i>Lophura nycthemera</i> (Linnaeus, 1758) (Silver Pheasant)	<i>Cotugnia digonopora</i>
<i>Euplocamus nycthemerus</i> , <i>Gennaeus nycthemerus</i> , <i>Phasianus nycthemerus</i>	<i>Ascaridia lineata</i>
<i>Heterakis vesicularis</i>	<i>Capillaria anatis</i>
GENUS SYRMATICUS WAGLER, 1832	<i>Heterakis dispar</i>
<i>Graphophasianus</i>	<i>Heterakis gallinarum</i>
<i>Eucoleus annulatus</i>	1. <i>Anser cygnoides</i> (Linnaeus, 1758) (Swan Goose) <i>Cygnopsis cygnoides</i> <i>Heterakis dispar</i>
1. <i>Syrmaticus soemmeringii</i> (Temminck, 1830) (Copper Pheasant)	GENUS BRANTA SCOPOLI, 1769
<i>Graphophasianus soemmeringii</i> , <i>Phasianus soemmeringii</i>	<i>Heterakis dispar</i>
<i>Heterakis gallinarum</i>	1. <i>Branta bernicla</i> (Linnaeus, 1758) (White-bellied Brant)
GENUS PHASIANUS LINNAEUS, 1758	
<i>Aonchotheca caudinflata</i>	
<i>Ascaridia galli</i>	
<i>Ascaridia lineata</i>	
<i>Capillaria anatis</i>	
<i>Cyrnea eurycerca</i>	
<i>Eucoleus annulatus</i>	
<i>Heterakis gallinarum</i>	
<i>Synhimantus spiralis</i>	
1. <i>Phasianus colchicus</i> Linnaeus, 1758 (Common Pheasant, Ring-necked Pheasant)	
<i>Hymenolepis cantaniana</i>	
<i>Raillietina echinobothrida</i>	

- Anas bernicla*
“*Bernicla*”
Heterakis dispar
- GENUS CYGNUS BECHSTEIN, 1803**
1. *Cygnus atratus* (Latham, 1790) (Australian Black Swan)
Chenopsis atrata
Heterakis vesicularis
 2. *Cygnus melanocoryphus* (Molina, 1782)
Tetramerites fissispina
- GENUS CHLOEPHAGA EYTON, 1838**
- Heterakis dispar*
- GENUS TADORNA BOIE, 1822**
- Tadorna*
Heterakis dispar
- GENUS CAIRINA FLEMING, 1822**
- Ascaridia galli*
Heterakis dispar
Heterakis gallinarum
1. *Cairina moschata* (Linnaeus, 1758) (Muscovy Duck)
Gongylonema congoense
- GENUS ANAS LINNAEUS, 1758**
- Ascaridia lineata*
Heterakis dispar
Heterakis gallinarum
Heterakis vesicularis
Subulura brumpti
1. *Anas platyrhynchos* Linnaeus, 1758 (Mallard)
Anas boschas
Tetramerites fissispina
 2. *Anas clypeata* Linnaeus, 1758 (Northern Shoveler)
Anas spathula, *Spatula clypeata*
Tetramerites fissispina
 3. *Anas acuta* Linnaeus, 1758 (Northern Pintail)
Dafila acuta
Ascaridia perspicillum
Tetramerites fissispina
 4. *Anas querquedula* Linnaeus, 1758 (Garganey)
Querquedula querquedula
Capillaria anatis
Tetramerites fissispina
- According to Lepage (2007) *A. acuta* has been split into *A. acuta* and *Anas eatoni*, but some authors consider *A. eatoni* a subspecies of *A. acuta*. Peterson (1999) lists the two as separate species.
- GENUS AYTHYA BOIE, 1822**
1. *Aythya ferina* (Linnaeus, 1758) (Common Pochard)
- Anas ferina*, *Aristonetta ferina*, *Nyroca ferina*
Tetramerites fissispina
- GENUS SOMATERIA LEACH, 1819**
1. *Somateria mollissima* (Linnaeus, 1758) (Common Eider)
Anas mollissima
Tetramerites fissispina
- GENUS MELANITTA BOIE, 1822**
- Oidemia*, *Oidemaria*
Capillaria anatis
1. *Melanitta fusca* (Linnaeus, 1758) (Velvet Scooter)
Anas fusca, *Oidemia fusca*
Tetramerites fissispina
- GENUS CLANGULA LEACH, 1819**
1. *Clangula hyemalis* (Linnaeus, 1758) (Oldsquaw, Long-tailed Duck)
Anas hyemalis, *Harelda hyemalis*, *Ereunetes occidentalis*
Capillaria anatis
- GENUS BUCEPHALA BAIRD, 1858**
1. *Bucephala clangula* (Linnaeus, 1758) (Common Goldeneye)
Anas clangula, *Clangula clangula*, *Glaucionetta clangula*
Tetramerites fissispina
- GENUS MERGUS LINNAEUS, 1758**
- Merganser*
Capillaria anatis
1. *Mergus merganser* Linnaeus, 1758 (Common Merganser)
Tetramerites fissispina
- Order Turniciformes**
- Family TURNICIDAE (Buttonquail)**
- GENUS TURNIX BONNATERRE, 1791**
1. *Turnix suscitator* (Gmelin, 1789) (Barred Buttonquail)
Tetrao suscitator
Hymenolepis cantaniana
- Order Piciformes**
- Syngamus trachea*
- Order Galbuliformes**
- Family BUCCONIDAE (Puffbirds)**
- GENUS BUCCO BRISSON, 1760**
- Subulura strongylina*
- GENUS MALOCOPTILA GRAY, 1841**
- Subulura strongylina*

GENUS NONNULA SCLATER, 1854*Subulura strongylina***GENUS MONASA VIEILLOT, 1816***Subulura strongylina***GENUS CHELIDOPTERA GOULD, 1837***Subulura strongylina***Order Bucerotiformes****Family BUCEROTIDAE (Hornbills)****GENUS ACEROS HODGSON, 1844**

1. *Aceros corrugatus* (Temminck, 1832) (Wrinkled Hornbill)

*Buceros corrugatus, Rhyniceros corrugatus**Hadjelia truncata***GENUS TOCKUS LESSON, 1830**

1. *Tockus erythrorhynchus* (Temminck, 1823) (Red-billed Hornbill)

*Buceros erythrorhynchus**Hadjelia truncata*

2. *Tockus fasciatus semifasciatus* (Hartlaub, 1855) (Allied Hornbill)

*Lophoceros semifasciatus**Hadjelia truncata*

3. *Tockus leucomelas* (Liechtenstein, 1842) (Southern Yellow-billed Hornbill)

*Buceros leucomelas**Hadjelia truncate*

Some authors consider *T. leucomelas* a subspecies of *Tockus flavirostris* (Rüppell, 1853) (Lepage 2007)

Order Upupiformes**Family UPUPIDAE (Hoopoes)****GENUS UPUPA LINNAEUS, 1758**

1. *Upupa epops* Linnaeus, 1758 (Hoopoe)

*Hadjelia truncata***Family CORACIIDAE (Rollers)****GENUS CORACIAS LINNAEUS, 1758***Synhimantus spiralis*

1. *Coracias benghalensis* (Linnaeus, 1758) (Indian Roller)

*Corvus benghalensis**Hadjelia truncata***GENUS HALCYON SWAINSON, 1821**

1. *Halcyon smyrnensis* (Linnaeus, 1758) (White-throated Kingfisher)

*Hadjelia truncata***Family MEROPIDAE (Bee-eaters)****GENUS MEROPS LINNAEUS, 1758***Cynea eurycerca***Order Cuculiformes****Family CUCULIDAE (Cuckoos, coucals, anis, roadrunners, couas, etc.)****GENUS CUCULUS LINNAEUS, 1758***Subulura strongylina***GENUS CENTROPUS ILLIGER, 1811**

1. *Centropus phasianinus* (Latham, 1802) (Pheasant Coucal)

*Cuculus phasianinus**Subulura differens***Order Strigiformes****Family STRIGIDAE (Typical owls)****GENUS STRIX LINNAEUS, 1758***Heterakis dispar**Heterakis gallinarum***GENUS SURNIA DUMERIL, 1805***Heterakis dispar***GENUS GLAUCIDIUM BOIE, 1826***Heterakis dispar***Family NYCTIBIIDAE (Potoos)****GENUS NYCTIBIUS VIEILLOT, 1816***Subulura suctoria***Family CAPRIMULGIDAE (Nightjars)****GENUS PODAGER WAGLER, 1832***Subulura strongylina**Subulura suctoria***GENUS CAPRIMULGUS LINNAEUS, 1758***Subulura strongylina**Subulura suctoria***Order Columbiformes****Family COLUMBIDAE (Pigeons and doves)****Pigeon***Ascaridia lineata***GENUS COLUMBA LINNAEUS, 1758***Aonchotheca caudinflata**Synhimantus spiralis*

1. *Columba livia* Gmelin, 1785 (Rock Pigeon)

Cotugnia digonopora
Raillietina echinobothrida
Hadjelia truncata
Tetrameres fissispina

GENUS STREPTOPELIA BONAPARTE, 1855

- Spilopelia*
 Ascaridia galli
1. *Streptopelia orientalis* (Latham, 1790) (Oriental Turtle-Dove)
 Columba orientalis, *Turtur orientalis*
 Subulura brumpti

Order Gruiformes

Family RALLIDAE (Rails, crakes, moorhens and coots)

GENUS FULICA LINNAEUS, 1758

1. *Fulica atra* Linnaeus, 1758 (Common Coot)
 Tetrameres fissispina

Family OTIDIDAE (Bustards and korhaans)

Yamaguti (1961) lists *Aonchotheca caudinflata*, *Heterakis gallinarum* and *Heterakis vesicularis* from *Otis* without giving the host's species name. It is therefore not clear whether *Otis* refers to the current genus *Otis*, *Ardeotis*, *Neotis* or *Chlamydota*.

Otidiformes in Yamaguti (1961)

Syngamus trachea

GENUS OTIS LINNAEUS, 1758

1. *Otis tarda* Linnaeus, 1758 (Great Bustard)
 Mediorhynchus taeniatus

GENUS ARDEOTIS LE MAOUT, 1853

1. *Ardeotis arabs* (Linnaeus, 1758) (Arabian Bustard)
 Choriotis arabs, *Otis arabs*
 Mediorhynchus empodius
 Mediorhynchus taeniatus

GENUS CHLAMYDOTIS LESSON, 1839

Houbara

Hetrakis gallinarum

According to Lepage (2007) the common name Houbara has been split into *Chlamydota undulata* and *Chlamydota macqueenii*.

1. *Chlamydota undulata* (Jacquin, 1784) (Houbara Bustard)
 Otis houbara, *Psophia undulata*
 Mediorhynchus taeniatus
 Hispaniolepis falsata
2. *Chlamydota macqueenii* Gray, 1832 (Macqueen's Bustard)
 Otis macqueenii
 Mediorhynchus taeniatus

Order Charadriiformes

Family PTEROCLIDIAE (Sandgrouse)

GENUS PTEROCLES TEMMINCK, 1815

Calopterocles
 Heterakis gallinarum

1. *Pterocles exustus* Temminck, 1825 (Chestnut-bellied Sandgrouse)
 Pteroclidurus exustus, *Pterocles senegalensis*
 Raillietina cohni
 Lepage (2007) lists *Pterocles senegalensis* as synonym for *Pterocles exustus*.
2. *Pterocles orientalis arenarius* (Pallas, 1775) (Eastern Black-bellied Sandgrouse)
 Pterocles arenarius
 Raillietina cohni
 Lepage (2007) and Peterson (1999) list *Pterocles arenarius* as subspecies of *Pterocles orientalis* (Linnaeus, 1758).

Family JACANIDAE (Jacanas)

GENUS METOPIDIUS WAGLER, 1832

Synhimantus spiralis

Family BURHINIDAE (Thick-knees)

GENUS BURHINUS ILLIGER, 1811

Oedicnemus
 Subulura suectoria

1. *Burhinus oedicnemus* (Linnaeus, 1758) (Eurasian Thick-knee)
 Charadrius oedicnemus, *Oedicnemus crepitans*
 Mediorhynchus taeniatus

Family CHARADRIIDAE

(Plovers, dotterels, lapwings)

GENUS VANELLUS BRISSON, 1760

1. *Vanellus cinereus* (Blyth, 1842) (Grey-headed Lapwing)
 Hoplopterus cinereus, *Microsarcops cinereus*, *Pluvianus cinereus*
 Davainea nana

Order Falconiformes

Family ACCIPITRIDAE (Eagles, hawks, buzzards, kites, vulures)

GENUS ACCIPITER BRISSON, 1760

Synhimantus spiralis

Order Ciconiiformes

Family PODICIPEDIDAE (Grebes)

GENUS TACHYBAPTUS REICHENBACH, 1853

1. *Tachybaptus novaehollandiae* (Stephens, 1826) (Australian Grebe)

- Podiceps fluvialis*, *Podiceps novaehollandiae*
Tetrameres fissispina
- Family ARDEIDAE (Heros, egrets and bitterns)**
 "Ardeiformes"
Syngamus trachea
- GENUS ARDEA LINNAEUS, 1758**
Mediorhynchus empodium
- GENUS NYCTICORAX FORSTER, 1817**
 1. *Nycticorax nycticorax* (Linnaeus, 1758) (Black-crowned Night-Heron)
Ardea nycticorax
Tetrameres fissispina
- Family PELECANIDAE (Pelicans)**
 "Pelicaniformes"
Syngamus trachea
- Family CICONIIDAE (Storks)**
GENUS CICONIA BRISSON, 1760
Synhimantus spiralis
- Order Passeriformes**
Syngamus trachea
- Family CORVIDAE (Crows and ravens)**
GENUS CORVUS LINNAEUS, 1758
Heterakis gallinarum
Synhimantus spiralis
- Family PYCNONOTIDAE**
GENUS PYCNONOTUS BOIE, 1826
 1. *Pycnonotus capensis* (Linnaeus, 1766) (Cape Bulbul)
Sicarius caudatus
- Family MUSCICAPIDAE (Old World flycatchers)**
GENUS TURDUS LINNAEUS, 1758
Aonchotheca caudinflata
Synhimantus spiralis
1. *Turdus viscivorus* Linnaeus, 1758 (Mistle Thrush)
Ascaridia perspicillum
2. *Turdus migratorius* Linnaeus, 1766 (American Robin)
Planesticus migratorius
Synhimantus spiralis
- Family STURNIDAE (Starlings)**
GENUS STURNUS
Aonchotheca caudinflata
- Family PASSERIDAE (Old World sparrows, sowfinches and relatives)**
GENUS PASSER BRISSON, 1760
Aonchotheca caudinflata
Synhimantus spiralis
1. *Passer domesticus* (Linnaeus, 1758) (House Sparrow)
Fringilla domestica
Dispharynx nasuta
- GENUS EUPLECTES SWAINSON, 1829**
 1. *Euplectes orix* (Linnaeus, 1758) (Red Bishop)
Pyromelana oryx
Subulura differens
- Family FRINGILLIDAE (Canaries and buntings)**
GENUS QUISCALUS VIEILLOT, 1816
Synhimantus spiralis
- ACKNOWLEDGEMENTS**
 The first author was supported by a Claude Leon Foundation Postdoctoral Fellowship grant. Funds for this research were made available by the Department of Veterinary Tropical Diseases, as well as the Faculty of Veterinary Science of the University of Pretoria.
- REFERENCES**
- ANDERSON, R.C. 1992. *Nematode parasites of vertebrates, their development and transmission*, 1st ed. Wallingford and New York: CAB International.
- ANDERSON, R.C., CHABAUD, A.G. & WILLMOTT, S. (Eds) 1974–1983. *CIH keys to the nematode parasites of vertebrates*, No. 1–10. Farnham Royal: Commonwealth Agricultural Bureaux.
- AYENI, J.S.O., DIPEOLU, O.O. & OKAEME, A.N. 1983. Parasitic infections of the grey-breasted helmet guinea-fowl (*Numida meleagris galeata*) in Nigeria. *Veterinary Parasitology*, 12: 59–63.
- BAER, J.G. 1925. Cestodes nouveaux du Sud-Ouest de l'Afrique. *Revue Suisse de Zoologie*, 31:529–548.
- BAER, J.G. 1926. Contributions to the helminth fauna of South Africa. Department of Agriculture. *11th and 12th Reports of the Director of Veterinary Education and Research*, Part 1, 61–136.
- BAER, J.G. 1933. Contribution à l'étude de la faune helminthologique africaine. *Revue Suisse de Zoologie*, 40:31–84.
- BAER, J.G. 1955. Revision critique de la sous-famille Idiogeninae Fuhrmann 1907 (Cestodes: Davaeidae) et étude analytique de la distribution des espèces. *Revue Suisse de Zoologie*, 62 (Supplement): 1–51.
- BAYLIS, H.A. 1934. Notes on four cestodes. *Annals and Magazine of Natural History*, 10:587–594.
- BELSHAW, R.H.H. 1985. *Guinea fowl of the world*. Liss, Hampshire: Nimrod Book Services.

Check list of helminths of guineafowls (Numididae) and host list of parasites

- BHALERAO, G.D. 1933. On a new species of *Gongylonema* (Nematoda) from the domestic fowl. *Indian Journal of Veterinary Science and Animal Husbandry*, 3:116–119.
- BWANGAMOI, O. 1968. Helminth parasites of domestic and wild animals in Uganda. *Bulletin of Epizootic Diseases in Africa*, 16:429–454.
- CANCRINI, G., BALBO, T. & IORI, A. 1991. Su un nuovo Habronematidae parassita di *Acryllium vulturinum*: *Sicarius renatae* sp. n. *Parassitologia (Roma)*, 33:133–136.
- CHABAUD, A.G. & CAMPANA, Y. 1950. Notes sur le genre *Hadjelia* Seurat, 1916 (Nématodes-Spiruridae). *Annales de Parasitologie Humaine et Comparée*, 25:435–440.
- CHABAUD, A.G. 1958. Essai de classification des nématodes Habronematinae. *Annales de Parasitologie*, 33:445–508.
- CHABAUD, A.G. 1975. *CIH keys to the nematode parasites of vertebrates*, No. 3. *Keys to the genera of the Order Spirurida. Part 2. Spiruroidea, Habronematoidea and Acuarioidea*. Farnham Royal: Commonwealth Agricultural Bureaux.
- CROWE, T.M. 1977. Variation in intestinal helminth infestation of the helmeted guinea-fowl. *South African Journal of Wildlife Research*, 7:1–3.
- CRUZ E SILVA, J.A. 1971. Contribuição para o estudo dos helmintes parásitos dos vertebrados de Moçambique. *Memorias Junta de Investigações do Ultramar*, 61:1–479.
- DEL HOYO, J., ELLIOTT, A. & SARGATAL, J. (Eds). 1994. *Handbook of the birds of the world*. Vol. 2. New World vultures to guineafowl. Barcelona: Lynx Edicions.
- FABIYI, J.P. 1972. Studies on parasites of the grey-breasted helmet guineafowl (*Numida meleagris galeata* Pallas) of the Vom area of the Benue Plateau State, Nigeria. I. Helminth parasites. *Bulletin of Epizootic Diseases of Africa*, 20:235–238.
- FAIN, A. 1955. Sur un nouveau gongylonème, *G. concolense* n. sp., parasite de la poule, du canard et des gallinacés sauvages au Congo Belge et au Ruanda-Urundi. *Revue de Zoologie et de Botanique Africaines*, 51:1–10.
- FAIN, A. & THIENPONT, D. 1958. Notes sur deux Gongylonèmes congolais parasites de l'Oryctérope et de la Pintade. *Revue de Zoologie et de Botanique Africaines*, 57:113–116.
- FATUNMBI, O.O. & OLUFEMI, B.E. 1982. On the gastro-intestinal helminth parasites of guinea fowl (*Numida meleagris galeata* Pallas) in Ibadan. *African Journal of Ecology*, 20:67–70.
- FUHRMANN, O. 1912. XX. Vogelcestoden. *Sitzungsbericht der Kaiserlichen Akademie der Wissenschaften, Wien*, 121:181–192.
- GIBBONS, L.M., JONES, A. & KHALIL, L.F. 1996. *Manual of the 8th international training course on identification of helminths of economic importance*. St. Albans: International Institute of Parasitology.
- GIBSON, D. (Ed.). 2005. Animal parasitic helminths. Fauna Europaea version 1.2, <http://www.Faunaeur.org>.
- GRABER, M. 1959. Les parasites des animaux domestiques et sauvages de la République du Tchad. *Révue d'Élevage et de Médecine Vétérinaire des Pays tropicaux*, 12:145–152.
- GRABER, M. 1976. Helminthes et helminthiases des animaux domestiques et sauvages d'Ethiopie. Tome 2. *2ème Mission des Vétérinaires français en Ethiopie, Janvier-Mars '75*.
- HAZIEV, G.Z. & KHAN, S.A. 1991. Helminths of guinea fowl (*Numida meleagris*) in Bashkir ASSR. *Veterinary Parasitology*, 38:349–353.
- HOCKEY, P.A.R., DEAN, W.R.J. & RYAN, P.G. (Eds). 2005. *Roberts—Birds of Southern Africa*, VIIth edition. Cape Town: The Trustees of the John Voelcker Bird Book Fund.
- HODASI, J.K.M. 1969. Comparative studies on the helminth fauna of native and introduced domestic fowls in Ghana. *Journal of Helminthology*, 43:35–52.
- HODASI, J.K.M. 1976. The helminth parasites of the helmet guinea fowl (*Numida meleagris galeata* Pallas) in Ghana. *Bulletin of Animal Health and Production in Africa*, 24:81–87.
- HUDSON, J.R. 1934. Notes on some avian cestodes. *Annals and Magazine of Natural History*, 14:314–318.
- JONES, M.F. 1930. Proceedings of the 121st to 126th Meeting of the Helminthological Society of Washington. *Journal of Parasitology*, 16:158–169.
- JOYEUX, C., BAER, J. & MARTIN, R. 1936. Sur quelques cestodes de la Somalie-Nord. *Bulletin de la Société de Pathologie Exotique*, 29:82–96.
- JUNKER, K. & BOOMKER, J. 2006. *Mediorhynchus gallinarum* (Acanthocephala: Gigantorhynchidae) in Helmeted guineafowls, *Numida meleagris* (Linnaeus, 1758), in the Kruger National Park, South Africa. *Onderstepoort Journal of Veterinary Research*, 73: 283–292.
- JUNKER, K. & BOOMKER, J. 2007a. *Tetrameres numida* n. sp. (Nematoda: Tetrameridae) from Helmeted guineafowls, *Numida meleagris* (Linnaeus, 1758), in South Africa. *Onderstepoort Journal of Veterinary Research*, 74:115–128.
- JUNKER, K. & BOOMKER, J. 2007b. Helminths of guineafowls in Limpopo Province, South Africa. *Onderstepoort Journal of Veterinary Research*, 74:265–280.
- KHALIL, L.F., JONES, A. & BRAY, R.A. (Eds). 1994. *Key to the cestode parasites of vertebrates*. Wallingford, UK: CAB International.
- KHAN, S.W., KHAN, A.J. & RAYAZ, S. 1984. Helminth parasites found in the gastro-intestinal tract of guinea fowl, *Guttera pucherani*, of Peshawar, N.W.F.P., Pakistan. *Bulletin of Zoology, University of Peshawar*, 2:57–59.
- LEPAGE, D. (Ed.). 2007. Avibase. World Wide Web electronic publication. <http://www.bsc-eoc.org/avibase/> [4 April 2007].
- LE ROUX, P.L. 1926. Helminths collected from the domestic fowl (*Gallus domesticus*) and the domestic pigeon (*Columba livia*) in Natal. Department of Agriculture. 11th and 12th Reports of the Director of Veterinary Education and Research, Part 1: 207–217.
- LESBOUYRIES, G. 1941. *La pathologie des oiseaux*. Paris: Vigot Frères.
- MAGWISHA, H.B., KASSUKU, A.A., KYVSGAARD, N.C. & PERMIN, A. 2002. A comparison of the prevalence and burdens of helminth infections in growers and adult free-ranging chickens. *Tropical Animal Health and Production*, 43:205–214.
- MEYER, A. 1932. Acanthocephala. *Bronns "Klassen und Ordnungen des Tierreichs."* Vierter Band, 2. Abteilung, 2. Buch. Lieferung 1, 1–332. Leipzig: Akademische Verlagsgesellschaft.
- MYERS, B.-J., WOLFGANG, R.W. & KUNTZ, R.E. 1960. Helminth parasites from vertebrates taken in the Sudan (East Africa). *Canadian Journal of Zoology*, 38:833–836.
- MUKARATIRWA, S., HOVE, T., ESMANN, J.B., HOJ, C.J., PERMIN, A. & NANSEN, P. 2001. A survey of parasitic nematode infections of chickens in rural Zimbabwe. *Onderstepoort Journal of Veterinary Research*, 68:183–186.

- NFOR, M.B., AJANUSI, O.J., AGBEDE, R.I.S. & ESIEVO, K.A.N. 1999. Prevalence of parasites of guinea fowl (*Numida meleagris galeata*) in Zaria, Nigeria. *Bulletin of Animal Health and Production in Africa*, 47:103–106.
- OOSTHUIZEN, J.H. & MARKUS, M.B. 1967. The haematozoa of South African Birds. I: Blood and other parasites of two species of game birds. *Ibis*, 109:115–117.
- ORTLEPP, R.J. 1923. The life-history of *Syngamus trachealis* (Montagu) v. Sieboldt, the gape-worm in chickens. *Journal of Helminthology*, 1:119–140.
- ORTLEPP, R.J. 1937. South African helminths. Part I. *Onderstepoort Journal of Veterinary Science and Animal Industry*, 9:311–336.
- ORTLEPP, R.J. 1938a. South African helminths. Part III. Some mammalian and avian cestodes. *Onderstepoort Journal of Veterinary Science and Animal Industry*, 11:23–50.
- ORTLEPP, R.J. 1938b. South African helminths. Part V. Some avian and mammalian helminths. *Onderstepoort Journal of Veterinary Science and Animal Industry*, 11:63–104.
- ORTLEPP, R.J. 1963. Observations on cestode parasites of guinea-fowl from Southern Africa. *Onderstepoort Journal of Veterinary Research*, 30:95–118.
- ORTLEPP, R.J. 1964. Some helminths recovered from Red- and Yellow-billed Hornbills from the Kruger National Park. *Onderstepoort Journal of Veterinary Research*, 31:39–52.
- PERMIN, A., MAGWISHA, H., KASSUKU, A.A., NANSEN, P., BISGAARD, M., FRANDSEN, F. & GIBBONS, L.M. 1997. A cross-sectional study of helminths in rural scavenging poultry in Tanzania in relation to season and climate. *Journal of Helminthology*, 71:233–240.
- PERMIN, A., ESMANN, J.B., HOJ, C.H., HOVE, T. & MUKARA-TIRWA, S. 2002. Ecto-, endo- and haemoparasites in free-ranging chickens in the Goromonzi District in Zimbabwe. *Preventive Veterinary Medicine*, 54:213–224.
- PETERSON, A.P. (Ed.). 1999. *Zoological nomenclature resource (Zoonomen)*. World Wide Web electronic publication. <http://www.zoonomen.net> [4 April 2007].
- POULSEN, J., PERMIN, A., HINDSBO, O., YELIFARI, L., NANSEN, P. & BLOCH, P. 2000. Prevalence and distribution of gastro-intestinal helminths and haemoparasites in young scavenging chickens in upper eastern region of Ghana, West Africa. *Preventive Veterinary Medicine*, 45:237–245.
- QUENTIN, J.C. & WERTHEIM, G. 1975. Helminthes d'oiseaux et de mammifères d'Israël V. – Spirurides nouveaux ou peu connus. *Annales de Parasitologie* (Paris), 50:63–85.
- SAAYMAN, J. 1966. A study of the diet and parasites of *Ardeola (Bubulcus) ibis*, *Numida meleagris* and *Gallus domesticus* from the Eastern Cape Province, South Africa. Ph.D. thesis, University of South Africa.
- SANTA CRUZ, A.C.M., ORTIS DE ROTT, M.I. & RESOAGLI, E.H. 1998. Heterakiosis en *Numida meleagris* (Aves: Numididae). *Boletín chileno de Parasitología*, 53:70–72.
- SCHMIDT, G.D. 1986. *Handbook of tapeworm identification*. Boca Raton, Florida: CRC Press Inc.
- SCHMIDT, G.D. & KUNTZ, R.E. 1977. Revision of *Mediorhynchus* Van Cleave 1916 (Acanthocephala) with a key to species. *Journal of Parasitology*, 63:500–507.
- SINGH, S.N. 1949. Studies on the helminth parasites of birds in Hyderabad State. *Journal of Helminthology*, 23:25–38.
- SOUTHWELL, T. & LAKE, F. 1939. On a collection of cestoda from the Belgian Congo. *Annals of Tropical Medicine and Parasitology*, 33:63–90, 107–123.
- TADROS, G. & ISKANDER, A.R. 1975. *Hadjelia truncata* (Crepl., 1825) Gendre, 1921 (Spiruridea), a new parasite of pigeons in Egypt and its pathogenicity. *Journal of the Egyptian Veterinary Medical Association*, 35:283–301.
- TALBOT, N.T. 1971. An acanthocephalan parasite, *Mediorhynchus gallinarum*, of the domesticated fowl in Papua and New Guinea. *Australian Veterinary Journal*, 47:334–336.
- VAN CLEAVE, H.J. 1947. The acanthocephalan genus *Mediorhynchus*, its history and a review of the species occurring in the United States. *Journal of Parasitology*, 33:297–315.
- VERCRUYSSSE, J., HARRIS, E.A., BRAY, R.A., NAGALO, M., PANGUI, M. & GIBSON, D.I. 1985. A survey of gastrointestinal helminths of the common helmet guinea fowl (*Numida meleagris galeata*) in Burkina Faso. *Avian Diseases*, 29:742–745.
- VERSTER, A. & PTASINSKA-KLORYGA, Y. 1987. Helminths of helmeted guineafowl in southern Africa. *South African Journal of Wildlife Research*, Supplement I, 36–38.
- VON LINSTOW, O. 1901. Helminthen von den Ufern des Nyassa-Sees. Ein Beitrag zur Helminthenfauna von Süd-Afrika. *Jenaer Zeitschrift*, 35:409–428.
- WOODLAND, W.N.F. 1928. On some new avian cestodes from the Sudan. *Parasitology*, 20:305–314.
- YAMAGUTI, S. 1958. *The digenetic trematodes of vertebrates*. Vol. I, Part I (Parts IV–V), in *Systema Helminthum*. New York: Interscience Publishers.
- YAMAGUTI, S. 1959. *The cestodes of vertebrates*. Vol. II, in *Systema Helminthum*. New York: Interscience Publishers.
- YAMAGUTI, S. 1961. *The nematodes of vertebrates*. Vol. III, Parts I and II, in *Systema Helminthum*. New York: Interscience Publishers.
- YAMAGUTI, S. 1963. *Acanthocephala*. Vol. V, in *Systema Helminthum*. New York: Interscience Publishers.