

A JOURNAL ON TAXONOMIC BOTANY,  
PLANT SOCIOLOGY AND ECOLOGY

# REINWARDTIA

Editors

W. SOEGENG REKSODIHARDJO  
MIEN A. RIFAI

Published by  
HERBARIUM BOGORIENSE  
BOGOR, INDONESIA  
INDONESIAN INSTITUTE OF SCIENCES (L.I.P.I.)

Reinwardtia Vol. 7, Part 5, pp. 421 — 588

31 March 1969





**ATUNA RAFIN.** versus **CYCLANDROPHORA HASSK.**  
(Rosaceae — Chrysobalanoideae)

A. J. G. H. KOSTERMANS \*)

*Atuna* Rafinesque (Sylva Tellur. 153. 1838) with a single species *Atuna racemosa* Rafin. has priority over *Cyclandrophora* Hasskarl (in Flora 25(2), Beibl. 1: 47. 1842) and as it has been described properly it has precedence over *Cyclandrophora*.

I formerly (in Candollea 20: 118. 1965) preferred to reinstate *Cyclandrophora* as there is a generic name *Atunus* [Rumph.] Lamarck 1797, a synonym of *Heritiera*. Dryander (Sterculiaceae). After sounding out some experts in this matter, it has become evident, that the chances to conserve *Cyclandrophora* against *Atuna* are slight and hence I give here the new combinations of the species of this genus.

**ATUNA Rafin.**

*Atuna* Rafinesque, Sylva Tellur. 153. 1838; Merrill, Index Rafin. 136. 1949; Eostermans in Candollea 20: 119. 1965.

*Cyclandrophora* Hasskarl, Flora 25(2), Beibl. 1: 47. 1842; Tweede Catal. Pl. tuin Buitenzorg 209. 1844 (as a syn. of *Parinarium*); Kostermans, I.e. 118.

[*Atuna* Rumphius, Herb. Amboin. 1: 171. 1741 (nee 3: 95-96. 1743, quoad *Heritiera*)]; Kostermans, I.e. 119.

Type species: *Atuna racemosa* Rafin., I.e. 153; Merrill, I.e. 136; Kostermans, I.e. 136 (as a syn. of *Cyclandrophora laurina* (A. Gray) Kosterm.).

1. *Atuna elliptica* (Kosterm.) Kosterm., *comb. nov.*; basionym: *Parinari elliptica* Kostermans in Reinwardtia 7: 48, t. 2. 1965. — Typus: *Parhani s.n.* [K]; cf. Kostermans in Candollea 20: 120. 1965.

2. ***Atuna latifolia*** (Hend.) Kosterm., *comb. nov.*; basionym: *Parinarium latifolium* (non Exell) Henderson in Gard. Bull. Straits Settl. 7: 102. 1933. — Typus: *Haniff S.F.N. 21119* [SING]; cf. Kostermans, I.e. 121.

3. *Atuna elata* (King) Kosterm., *comb. nov.*; basionym: *Parinarium elatum* King in J. As. Soc. Bengal 66 (2) : 280. 1897. — Typus: *King's Coll. 3436* [CAL]; cf. Kostermans, I.e. 122.

\*) Herbarium Bogoriense and Forest Research Institute, Bogor.

4. *Atuna nannodes* (Kosterm.) Kosterm., *comb. nov.*; basionym: *Parinari nannodes* Kostermans in *Reinwardtia* 7: 50, t. 4. 1965. — Typus: *Beccari P.B. 2955* [BO]; cf. Kostermans, I.e. 122.

5. *Atuna penangiana* (Kosterm.) Kosterm., *comb. nov.*; basionym: *Cyclandrophora penangiana* Kostermans in *Candollea* 20: 124, fig. 9: 1965. — Typus: *Curtis 203* [SING].

6. *Atuna indica* (Bedd.) Kosterm., *comb. nov.*; basionym: *Entosiphon indicum* Beddome in *Madras J. Litt. Ser. 3, 1: 45. 1864.* — Typus: *Beddome s.n* [K]; cf. Kostermans, I.e. 124.

7. *Atuna travancorica* (Bedd.) Kosterm., *comb. nov.*; basionym: *Parinariurn travancoricum* Beddome, *Icon. Pl. Ind. or. 1: 43, t. 189. 1874.* — Typus: *Beddome 292* [CAL, K]; cf. Kostermans, I.e. 125.

8. *Atuna villamilii* (Merr.) Kosterm., *comb. nov.*; basionym: *Parinariurn villamilii* Merrill in *Philip. J. Sci. Bot. 10: 308. 1915.* — Typus: *Villamil F.B. 21863* [UC]; cf. Kostermans, I.e. 126.

9. *Atuna scabra* (Hassk.) Kosterm., *comb. nov.*; basionym: *Parinariurn scabrum* Hasskarl in *Tijdschr. Nat. Geschied. Physiol. 10: 147. 1843; Tweede Cat. 269. 1844; Flora 27(2). 585. 1844;* cf. Kostermans, I.e. 126.

10. *Atuna excelsa* (Jack) Kosterm., *comb. nov.*; basionym: *Petrocarya excelsa* Jack, *Malay Miscell. 2(7) : 68. 1822;* cf. Kostermans, I.e. 128.

11. *Atuna racemosa* Rafin., *Sylva Tellur. 153. 1838;* syn.: *Cyclandrophora laurina* (A. Gray) Kosterm., I.e. 135; *Parinariurn laurinum* A. Gray, *Bot. Cpt. Wilkes U.S. Explor. Exped. 1: 490, t. 55. 1854.*

---



CONTENTS

	Page
KOSTERMANS, A. J. G. H.: <i>Atuna</i> Rafin. versus <i>Cyclandrophora</i> Hassk. (Rosaceae — Chrysobalanoideae) . . . . .	421—422
———: <i>Berrya</i> Roxb. and <i>Carpodiptera</i> Gris . . . . .	423—424
———: <i>Kayea</i> Wall. and <i>Mesua</i> L. (Guttiferae) . . . . .	425—431
———: New and critical Malesian plants VIII . . . . .	433—449
———: Materials for a revision of Lauraceae II . . . . .	451—536
———: The identity of some Burman species . . . . .	537—538
———: A New Guinea cinnamon used as a contraceptive . . . . .	539—541
PRIJANTO, B.: The Asiatic species of <i>Lindenbergia</i> Lehm. (Scrophulariaceae) . . . . .	543—560
RIFAI, M. A.: <i>Sarawakus</i> Lloyd, a genus of the pyrenomycete family Hypocreaceae . . . . .	561—578
Index to volume 7 . . . . .	579—588
Title-page to volume 7	